

**WORKWEAR & PROTECTION CATALOGUE - 2019/2020** 



Safety Footwear - Boots	4
Safety Footwear - Gumboots	13
Hi Vis Singlet & Polos	18
Hi Vis Workshirts	22
Hi Vis Hoodies & Fleece	24
Rainwear Jackets & Vest	26
Rain Pants	29
Soft Shell Vest & Jackets	31
Puffer Jackets	
Industrial Overalls	34
Safety Vest	35
Safety Glasses	
Polarised Glasses	41
Lense Cleaning Wipes	42
Goggles	43
Visors & Accessories	46
Hard Hats & Accessories	49
Hand Protection	
Disposable Gloves & Coveralls	75
Hearing Protection	78
Breathing & Respiratory	90
Welding Apparel	99
Knee Pads	100
Hazard Tapes	101
Tags	
Lock Out Products	
Road, Site & Traffic Safety	106
Hydration Concentrates	114
Signage	118



# WORKWEAR & PROTECTION

# Safety Footwear - Boots

# Lace Up Boots



### Bickz 907

- Dual density phylon.
- Eubber sole Composite safety toe Penetration resistant midole Heat resistant to 300°C External scuff cap Metal Free
- Airport Friendly Lightweight Slip Resistant.
- Colour: Black.
- Sizes: 5, 6, 7, 8, 9, 10, 11, 12, 13.

Code

2645





#### Bickz 904

- Dual density phylon.
- Rubber sole Composite safety toe Penetration resistant midole Heat resistant to 300°C External scuff cap Metal
- Airport Friendly Lightweight Slip Resistant.
- Colour: Black.
- Sizes: 5, 6, 7, 8, 9, 10, 11, 12, 13.

Code

1898





### **Force**

- Alloy Safety Toe.
- Lightweight.
- Removable PU Comfort Insole.
- Heat Resistant to 300°C.
- · All Day Comfort.
- Oil Resistant.
- Colour: Black.
- Sizes: 3,4,5, 6, 7, 8, 9, 10, 11, 12, 13.

Code

3234



### **Safhir**

- Upper: Water-repellent nubuck effect leather and anti abrasion to ecap.
- Insole: Thermoformed, removable, antibacterical, absorbent FUSSTATIC.
- Sole: PU/Dual Density / Toe cap: POWER CAP Compo (200J).
- Midsole: Composite TEXON Enigma Zero HT2.
- Lining: PLASMAFEEL.
- Colour: Black.
- Standard sizes: 7,8,9,10,11,12,13.

Code



### Longreach SC Black

- Industry: Automotive, Construction, Manufacturing, Mining, Police, Security, Transport & Logistics / Safety Norm: AS/NZS 2210.3.
- Energy Absorption, Fuel Oil Resistant Outsole, Heat Resistant Outsole, D30 Impact Shock Protection, External scuff cap, PU footbed.
- Safety Toecap: Steel toecap -200J.
- Colour: Black.
- Sizes: 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13,14.

Code

2530



### **Longreach SC Crazy Horse**

- Industry: Automotive, Construction, Manufacturing, Mining, Police, Security, Transport & Logistics / Safety Norm: AS/NZS 2210.3.
- Energy Absorption, Fuel Oil Resistant Outsole, Heat Resistant Outsole, D30 Impact Shock Protection, External scuff cap, PU footbed.
- Safety Toecap: Steel toecap -200J.
- Colour: Crazy horse.
- Sizes: Sizes: 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13,14.

2530

Code



### Longreach SC Wheat

- Industry: Automotive, Construction, Manufacturing, Mining, Police, Security, Transport & Logistics / Safety Norm: AS/NZS 2210.3.
- Energy Absorption, Fuel Oil Resistant Outsole, Heat Resistant Outsole, D30 Impact Shock Protection, External scuff cap, PU footbed.
- Safety Toecap: Steel toecap -200J.
- · Colour: Wheat.
- Sizes: 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13,14.

Code

2530



#### Bickz 901

- Dual density phylon.
- Rubber sole Composite safety toe.
- Penetration resistant midole.
- Heat resistant to 300°C Metal Free.
- Airport Friendly Lightweight Slip resistant.
- Colour: Tan.
- Sizes: 5, 6, 7, 8, 9, 10, 11, 12, 13.

Code





### Bickz 902

- Dual density phylon.
- Rubber sole Composite safety toe.
- · Penetration resistant midole.
- Heat resistant to 300°C Metal Free.
- Airport Friendly Lightweight Slip resistant.
- Colour: Black.
- Sizes: 5, 6, 7, 8, 9, 10, 11, 12, 13.

Code

2640



### **Giotto Mid**

- Upper: Leather with TPU inserts/no stitching waterrepellent / Lining: PLASMAFEEL.
- Insole: PERFORMANCE-Thermoformed, removable, antibacterical, absorbent FUSSTATIC.
- Midsole: Composite TEXON Enigma Zero HT2.
- Sole: PU/RUBBER.
- Toe cap: POWER CAP Compo (200J).
- Colour: Black.
- Sizes: 7, 8, 9, 10, 11, 12, 13.

Code

2723



#### **FW993**

- Luxury PU footbed with PORON XRD underfoot comfort.
- Meets AS/NZS 2210.3.2009.
- New rubber outsole designed to specifically increase slip resistance in varied environments.
- Water resisitant upper.
- Moulded TPU toe guard.
- Padded tongue and collar.
- Ankle 150mm height safety boot.
- Colour: Crazy horse premium leather.
- Sizes: 5, 6, 7, 8, 9, 10, 11, 12, 13, 14.

Code

3235



### **FW 994**

- Ankle 150mm height safety boot eith PORON XRD metatarsal guard, Water resistant leather.
- Moulded TPU toe guard. Full Kevlar stitching externally.
- Non-metallic penetration resistant insole.
- Low density shock absorbing polyurethane midsole.
- New rubber outsole designed to specifically increase slip resistance.
- Meets AS/NZS 2210.3.2009.
- Colour: Black Platinum.
- Sizes: 5, 6, 7, 8, 9, 10, 11, 12, 13,14.

Code



#### Saturn

- Industry: Automotive, Logistics, Manufacturing.
- Characteristics: Anti Static, Energy Absorption, Fuel Oil Resistant Outsole, Heat Resistant Outsole, Penetration Resistant Outsole, PU footbed, Tunnel System.
- Safety Toecap: Steel toecap -200J.
- Safety Norm: AS/NZS 2210.3.
- Colour: Black.
- Sizes: 5,6,7,8,9,10,11,12,13,14.

Code

1592



### FW991

- Luxury PU footbed with PORON XRD underfoot comfort.
- Increase slip resistance, heat resistant to 300°C.
- Platinum quality water resistance leather.
- Moulded TPU toe guard, new rubber outsold designed for:
   Oil, Acid and Organic fat resistant.
- Meets AS/NZS 2210.3.2009.
- Colour: Black.
- Standard sizes: 5,6,7,8,9,10,11,12,13,14.

Code

1424



### **Indianapolis Low**

- Sport design, lightweight.
- Suitable for indoor and outdoor.
- Upper: Water repellent and breathable fabric. Leather anti abrasion scuff-cup.
- Lining: PLASMAFEEL / Sole: PU/TPU.
- Insole: Techsoft-Thermoformed, removable, antibacterial, absorbent.
- Toe cap: POWER CAP XL-Compo (200J).
- Made in Italy.
- Colour: Black/Blue.
- Sizes: 6,7,8,9,10,11,12.

Code

2727





### **Estoril Yellow Low**

- Sport design, lightweight, Suitable for indoor and outdoor.
- Upper: Water repellent and breathable fabric. Leather anti abrasion scuff-cup.
- Lining: PLASMAFEEL / Sole: PU/TPU.
- Insole: Techsoft-Thermoformed, removable, antibacterial, absorbent.
- Toe cap: POWER CAP XL-Compo (200J).
- Made in Italy.

Colour: Black/Yellow.

• Sizes: 6,7,8,9,10,11,12.

Code





### Taormina BLK-Grey

- Upper: Grain leather water-repellent.
- Lining: PLASMAFEEL.
- Insole: Thermoformed, removable, antibacterical, absorbent FUSSTATIC.
- Sole: PU/Dual Density.
- Toe cap: POWER CAP Compo (200J).
- Midsole: Composite TEXON Enigma Zero HT2.

Made in Italy.Colour: Black.

• Sizes: 6,7,8,9,10,11,12,13.

Code

2732



### **Indianapolis Octane MID**

- Sport design, lightweight, Suitable for indoor and outdoor.
- Upper: Water repellent and breathable fabric. Leather anti abrasion scuff-cup.
- Lining: PLASMAFEEL / Sole: PU/TPU.
- Insole: Techsoft-Thermoformed, removable, antibacterial, absorbent.
- Toe cap: POWER CAP XL-Compo (200J).
- Made in Italy.
- Colour: Black/Blue.
- Sizes: 6,7,8,9,10,11,12.

Code

2728



### T-Light

- Upper: Grain leather water-repellent.
- Lining: PLASMAFEEL.
- Sole: PU/Dual Density.
- Insole: Thermoformed, removable, antibacterical, absorbent FUSSTATIC.
- Toe cap: POWER CAP Compo (200J).
- Midsole: Composite TEXON Enigma Zero HT2.
- Made in Italy.
- Colour: Black.
- Sizes: 6,7,8,9,10,11,12,13.

Code

2731



### Sherpa

- Upper: Water-repellent nubuck and Hi-Tech fabric inserts / Lining: PLASMAFEEL.
- Insole: Thermoformed, removable, antibacterical, absorbent FUSSTATIC.
- Sole: PU/Dual Density.
- Toe cap: POWER CAP fiber glass(200J).
- Midsole: Composite TEXON Enigma Zero HT2.
- Made in Italy.
- Colour: Brown.
- Sizes: 6,7,8,9,10,11,12,13.

Code



# Zip Up & Boa Boots



### Ranger Boa Black

- Dual density PU / Rubber sole.
- Nomex heat resistant stitching.
- External scuff cap.
- Heat resistant to 300°C.
- Anti-static sole.
- BOA lacing system.
- Scotchgard, Slip Resistant.
- Colour: Black.
- Sizes: 5,6,7,8,9,10,11,12,13, 14.

Code

3237



### Ranger Boa Wheat

- Dual density PU / Rubber sole.
- Nomex heat resistant stitching.
- External scuff cap.
- Heat resistant to 300°C.
- Anti-static sole.
- BOA lacing system.
- Scotchgard, Slip Resistant.
- Colour: Wheat.
- Sizes: 5,6,7,8,9,10,11,12,13, 14.

Code

3238



Industry: Automotive, Construction, Manufacturing,

Mining, Police, Security, Transport & Logistic.

- Characteristics: Energy Absorption, Fuel Oil Resistant Outsole, Heat Resistant Outsole, D30 Impact Shock Protection, External scuff cap, PU footbed, Zip+lace fastening.
- Safety Toecap: Steel toecap -200J.
- Safety Norm: AS/NZS 2210.3.
- Sizes: 3,4,5,6,7,8,9,10,11,12,13,14.

Code

2628



### **Horizon SC Black**

- Industry: Automotive, Construction, Manufacturing, Mining, Police, Security, Transport & Logistic.
- Characteristics: Energy Absorption, Fuel Oil Resistant Outsole, Heat Resistant Outsole, D30 Impact Shock Protection, External scuff cap, PU footbed, Zip+lace fastening.
- Safety Toecap: Steel toecap -200J.
- Safety Norm: AS/NZS 2210.3.
- Sizes: 3,4,5,6,7,8,9,10,11,12,13,14.

Code



### Zip Up & Boa Boots



#### **FW318**

- TPU sole heat resistant to 130°C.
- High quality, anti bacterial comfort lining.
- XRD® in the heel strike zone for increased shock protection
- Full length removable PU footbed anti bacterial, breathable & washable.
- Electrical Hazard certified to ASTM F2413-11.
- Complies with AS/NZS 2210.3.
- Colour: Wheat.
- Sizes: 5,6,7,8,9,10,11,12,13.

Code

3239



### FW319

- TPU sole heat resistant to 130°C.
- High quality, anti bacterial comfort lining.
- XRD® in the heel strike zone for increased shock protection
- Full length removable PU footbed anti bacterial, breathable & washable.
- Electrical Hazard certified to ASTM F2413-11.
- Complies with AS/NZS 2210.3.
- Colour: Black.
- Sizes: 5,6,7,8,9,10,11,12,13.

Code

3057



### FW992

- Moulded TPU toe guard.
- New rubber outsole designed for increased slip resistance.
- 300 degree C Heat resistant.
- Oil, Acid and organic fat resistant.
- Luxury PU footbed with PORON XRD underfoot comfort.
- Zip Side Closure for easy removal and fitting.
- Meets AS/NZS 2210.3.2009.
- Colour: Wheat Nubuck Leather.
- Standard sizes: 5,6,7,8,9,10,11,12,13.

Code

3240



### Longreach CT Zip

- A Metal Free with Composite Toe.
- · Penetration Resistant Midsole.
- Thinsulate Lining.
- Rubber Sole Heat Resistant to 300°C.
- YKK 10 Zip.
- Bellow Tongue.
- Colour: Black.
- Sizes: 5,6,7,8,9,10,11,12,13.

Code

# Slip On Boots



### **FW990**

- Heat resistant to 300°C, water resistance leather.
- Oil, acid and organic fat resistant.
- Moulded TPU toe guard for added leather protection.
- New rubber outsole designed to specifically increase slip resistance in varied environments.
- Luxury PU footbed with PORON XRD underfoot comfort.
- Meets AS/NZS 2210.3.200.
- Colour: Black platinum.
- Sizes: 3,4,5,6,7,8,9,,10,11,12,13,14.

Code

1479



### **Hercules**

- Dual density PU sole.
- PU comfort insole.
- Heat resistant to 130°C.
- Tunnel System®.
- Anti-static sole.
- Slip resistant.
- Flexible midsole.
- Colour: Black.
- Sizes: 3,4,5,6,7,8,9,10,11,12,13.

Code

1592





### **Trekker Claret Safety**

- D30 impact shock protection.
- Duel density PU/TPU Sole.
- Moulded Toe Scuff Cap.
- Pull on boot.
- Slip Resistant.
- Steel safety toe cap.
- Colour: Claret.
- Sizes: 3,4,5,6,7,8,9,10,11,12,13,14.

Code

2532






### **Boot BTP**

- Upper: Grain waxed leather.
- Lining: Thinsulate.
- Insole: HEAT COMFY.
- Sole: PU/Dual Density.
- Toe cap: POWER CAP fiber glass (200J).
- Midsole: Composite TEXON Enigma Zero HT2.
- Certification: S3.
- Colour: Black/ brown.
- Sizes: 7,8,9,10,11,12,13.

Code





# Safety Footwear - Gumboots

# **Safety Toe Cap**





### **Steelmate**

- · Construction use.
- Slip resistant.
- Waterproof.
- Steel toe and penetration resistant midsole.
- Oil, acid & blood resistant.
- New Zealand made.
- Safety Norm: AS/NZS 2210.3.
- Colour: Black / Grey PVC 300mm.
- Sizes: 4,5,6,7,8,9,10,11,12,13,14,15.

Code

3085

stimeta



### **Black - Grey Gumboot**

- A unique mix of nitrile /PVC with a steel midsole protecting from penetration of the sole.
- Luminous ankle protector.
- Mining/construction use.
- · Heavy duty.
- Steel toe cap and steel mid sole.
- Oil and acid resistant.
- Colour: Black / Grey.
- Sizes: 4,5,6,7,8,9,10,11,12,13,14.

Code

1350

stimeta



### **Black - Yellow Gumboot**

- A unique mix of nitrile /PVC helping resistance to cracking.
- Mining/construction use.
- Heavy duty.
- Steel toe cap and steel mid sole.
- Oil and acid resistant.
- Colour: Black-Yellow Safety Boot.
- Sizes: 4,5,6,7,8,9,10,11,12,13,14.

Code

1350

Bata Industrials



### **Handyman Safety**

- Fresh produce processing use.
- Slip resistant.
- Waterproof.
- Oil resistant.
- New Zealand made.
- Safety Norm: AS/NZS 2210.3.
- Colour: Black / Blue PVC 300mm Safety Boot.
- Sizes: 6,7,8,9,10,11,12,13.

Code



# **Safety Toe Cap**





#### **Meta Gumboot**

- A unique mix of nitrile /PVC with a steel midsole protecting from penetration of the sole.
- Heavy duty. Steel toe cap and steel mid sole.
- Built in metatarsal protection guard which helps to absorb impact protecting the metatarsal. Luminous ankle protector.
- Mining/construction use.
- Oil and acid resistant.

Colour: Black / Grey.

• Sizes: 4,5,6,7,8,9,10,11,12,13,14.

Code

3345





### Rigger – Black

- Petrochemical use.
- Slip resistant.
- Waterproof.
- Oil, acid & blood resistant.
- New Zealand made.
- Colour: Black / Orange PVC 300mm Safety Boot.
- Safety Norm: AS/NZS 2210.3.
- Sizes: 3,4,5,6,7,8,9,10,11,12,13,14,15.

Code

3346





### Safemate - Black

- · Agriculture use.
- Slip resistant.
- Waterproof.
- Oil, acid & blood resistant.
- New Zealand made.
- Safety Norm: AS/NZS 2210.3.
- Colour: Black / Yellow PVC 300mm Safety Boot.
- Sizes: 3,4,5,6,7,8,9,10,11,12,13,14,15.

Code

1865





### Worklite - Black/Grey

- PU 400mm Safety Toe Gumboot.
- Fisheries, Food & Beverages, Fresh Produce Processing use.
- Slip resistant.
- Waterproof.
- · Lightweight.
- Anti-static sole.
- Colour: Black/Grey.

• Sizes: 3,4,5,6,7,8,9,10,11,12,13,14.

Code

# **Safety Toe Cap**



### **Bison Neo Boot - Rubber Outsole**

- The Neo is the Gumboot of choice for farmers, coal miners, oil and gas exploration.
- Warmth and insulation for the foot and lower leg with the Neoprene liner.
- Innovative multi-directional cleats designed to provide super grip in all conditions.
- Complies to EN ISO 20345: 2011. Class II.
- Colour: Orange/Black.
- Sizes: 6,7,8,9,10,11,12,13.

Code

2689

# **Non Safety Toe Cap**




### **Workmate**

- Agriculture use.
- Slip resistant.
- Waterproof.
- Oil, acid & blood resistant.
- New Zealand made.
- Complies to AS/NZS 2210.3.
- Colour: Black / Green PVC 300mm Safety Boot.
- Sizes: 3,4,5,6,7,8,9,10,11,12,13,14,15.

Code





# Clothing - Safety Standards

These helpful Safety Standard symbols will help you choose the right garment



Fabric tested & certified to: AS/NZS 1906.4.2010.

Retro-Reflective Tape tested & certified to AS/NZS1906.4:2010.

Fabric complies to AS/NZS 4399. UPF rating of Excellent Protection. Only applies to polo fabric and orange cotton shirt fabric.

Class D. Suitable for Day use only.

Electrical Arc flash protection - exceeds the 8 cal/ cm2 arc rating requirements for HRC 2. Fabric tested according to the standard ASTM F1959/F1959M-12, Determination of the Arc rating (ATPV or EBT50) of flame resistant material clothing.

Fabric tested & certified to: EN ISO 11612 Protective clothing - Clothing to protect against heat and flame.

Tested and certified by independent testing laboratory.

Bisley Workwear 'water-proof' garments have been tested to the Australian.
Standard AS 2001.2.18:1987.

Argyle garments are made of waterproof material which exceeds:
EN343 Protective clothing- Protection against rain.

# JB's wear

### **Hi Vis Polos**



### **Hi Vis Cotton T-Shirt**

- 100% cotton for 100% comfort.
- 180gsm fabric.
- Straight hem with side splits.
- Hi Vis Everyday T-Shirt.
- Colours: Lime/Navy, Orange/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL.

Code

3229



### **Hi Vis Contrast Singlet**

- 100% Polyester for durability, 160gsm micro mesh fabric.
- JB's Dri™ moisture wicking fabric designed to help keep you cool and dry.
- Straight hem, easy care fabric.
- · Quick drying.
- Colours: Lime/Navy, Orange/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL.

Code

3230



### Hi Vis S/S (Day/Night) Traditional Polo

- 100% Polyester for durability, 160gsm micro mesh fabric.
- JB's Dri<sup>™</sup> moisture wicking fabric designed to help keep you cool and dry.
- Easy snip- off stay stitch at welt pocket opening to keep pocket in shape.
- Straight hem with side splits, easy care fabric, quick drying, classic Fit.
- Colours: Lime/Navy, Orange/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6/7XL.

Code





### Hi Vis L/S (Day/Night) Traditional Polo

- 100% Polyester for durability, 160gsm micro mesh fabric.
- JB's Dri™ moisture wicking fabric designed to help keep you cool and dry.
- Easy snip- off stay stitch at welt pocket opening to keep pocket in shape.
- Straight hem with side splits.
- Easy care fabric, quick drying, classic Fit.
- Colours: Lime/Navy, Orange/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL.

Code

3231



# Hi Vis (Day/Night) L/S Non Cuff TTMC-W Traditional Polo

- 100% Polyester in a 160gsm micro mesh fabric for durability.
- JB's Dri moisture wicking fabric designed to help keep you cool and dry.
- Reinforced chest pocket with pen insert.
- 3M reflective tape.
- Easy care, quick dry, 15cm back tail.
- Colour: Orange.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6/7XL.

Code

3232



# Hi Vis (Day/Night) S/S Non Cuff TTMC-W Traditional Polo

- 100% Polyester in a 160gsm micro mesh fabric for durability.
- JB's Dri moisture wicking fabric designed to help keep you cool and dry.
- Reinforced chest pocket with pen insert.
- 3M reflective tape.
- Easy care, quick dry, 15cm back tail.
- Colour: Orange.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6/7XL.

Code







### Hi Vis S/S Spider Polo

- Hi Vis raglan.
- 100% Polyester in 160gsm micro mesh fabric for durability.
- JB's Dri<sup>™</sup> moisture wicking fabric designed to help keep you cool and dry.
- Reinforced chest pocket with pen insert.
- Straight hem with side splits.
- Colours: Lime/Black, Lime/Maroon, Lime/Navy, Lime/ Purple, Orange/Black, Orange/Navy, Orange/ Purple.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL.

Code

3348



### Hi Vis S/S Arm Tape Polo

- 100% Polyester in a 160gsm micro mesh fabric for durability.
- JB's Dri™ moisture wicking fabric designed to help keep you cool and dry.
- Two-colour contrast striped collar.
- Reinforced chest pocket with pen insert.
- Straight hem with side splits.
- Easy care, quick drying fabric.
- Colours: Lime/Navy, Orange/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL.

Code

3350



### Hi Vis S/S Sport Polo

- 100% Polyester for durability, 160gsm micro mesh fabric.
- JB's Dri™ moisture wicking fabric designed to help keep you cool and dry.
- Reinforced chest pocket with pen insert.
- Straight hem with side splits.
- Easy care fabric.
- · Quick drying.
- Colours: Lime/Navy, Orange/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL.

Code





### **Breathable Day Only Polo**

- Breathable fabric with cotton back.
- Mandarin contrast collar minimises grime build up.
- Extra lightweight cotton back for extra comfort.
- Slimline smart phone zip pocket on chest.
- UPF rating 50+ Excellent Protection.
- Colours: Orange/Navy, Yellow/Navy.
- Sizes S-3XL, 5XL, 8XL.

Code

1708



### **TTMC-W17 Polo**

- Long tail for extra visibility.
- Chest pocket with button closure.
- Slim-fit sizing.
- UPF rating 50+ Excellent Protection.
- Colours: Orange with Navy trim.
- Sizes: S, M, L, XL, 2XL, 3XL, 5XL.

Code

3349



### **TTMC-W17 Polo Long Sleeve**

- 100% Polyester Microfibre Hi Vis.
- Long tail for extra visibility.
- External pocket with button closure.
- Long sleeve for ultimate sun protection.
- UPF rating 50+ excellent protection.
- Colour: Orange with Navy trim.
- Sizes: S, M, L, XL, 2XL, 3XL, 5XL.

Code



# Hi Vis Workshirts





### **Argyle Day Only Shirt**

- 190GSM 100% Suave Cotton.
- 2 'n' 1 shirt short sleeves and long sleeves in one, roll-upsleeves with tie back.
- Two chest pockets with flaps.
- Pen partition.
- Smart phone pocket.
- VentYou™ back and underarm ventilation.
- Orange shirt UPF 50+ rating, Yellow shirt UPF 45 rating.
- Colours Orange/Navy & Yellow/Navy.
- Sizes: S, M, L, XL, 2XL, 3XL, 4XL.

Code

1730



### **Argyle Day/Night shirt**

- 190GSM 100% Suave Cotton.
- 'X' reflective tape design on the back for front-to-back.
- Differentiation at night.
- 2 'n' 1 shirt short/long sleeves.
- Smart phone pocket.
- VentYou<sup>™</sup> back and underarm ventilation.
- Orange shirt UPF 50+ rating, Yellow shirt UPF 45 rating.
- Colours: Orange/Navy, Yellow/Navy, Orange/Grey, Yellow/ Grey.
- Sizes: S, M, L, XL, 2XL, 3XL, 4XL.

Code

1491



### Hi Vis S/S 150G Shirt



- Traditional S/S Work Shirt.
- 100% Cotton for 100% comfort in a 150gsm double preshrunk drill.
- Wide back neck yoke with concealed mesh, cooling gussets at underarms.
- Two front pockets with button-down flaps and pen insert.
- Contrast panel on front, back, long sleeves and collar.
- Curved hem with back tail styling, Two-piece collar.
- Colours: Yellow/Navy, Orange/ Navy.
- Sizes: S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6/7XL.

Code

### Hi Vis Workshirts





### Hi Vis S/S (Day/Night) 190G Shirt

- Classic Safety, Two-piece collar.
- 100% Cotton for 100% comfort in a 190gsm double preshrunk drill / Curved hem with back tail styling.
- All pressure points bar tacked for extra strength and durability.
- Two front pockets with button-down flaps and pen insert.
- Colours: Orange/Navy, Yellow/Navy.
- UPF 50+.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6/7XL.

Code

2918



### Hi Vis (Day/Night) L/S 190G Shirt

- Constructed for safety, 100% Cotton for 100% comfort in a 190qsm double pre-shrunk drill.
- All pressure points bar tacked for extra strength and durability.
- Two front pockets with button-down flaps and pen insert.
- Curved hem with back tail styling.
- Two-piece collar.
- UPF 50+ rating.
- Colours: Orange/Navy, Yellow/Green, Yellow/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6/7XL.

Code

2455



### Hi Vis L/S (Day/Night) 190g Close Front Shirt

- 100% Cotton for 100% comfort in a 190gsm double preshrunk drill.
- Two front pockets with button-down flaps and pen insert.
- Curved hem with back tail styling.
- All pressure points bar tacked for extra strength and durability.
- Two-piece collar.
- Colours: Orange, Orange/Navy, Yellow/Navy.
- UPF 50+ rating.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6/7XL.

Code



# Hi Vis Hoodies & Fleece





### **Hi Vis Fleece Hoodie**

- 100% Polyester Fleece 300gsm, Poly/Cotton 2x2 Rib knit.
- Premium polyester low pill fleece.
- Shaped hood with contrast internal lining.
- Internal rib collar for extra comfort.
- Full open front zip for easier accessibility.
- Front contrast kangaroo style shaped pockets.
- Featured contrast sleeve lower panels.
- Rib cuffs with thumb opening.
- Colours: Yellow/Navy, Orange/ Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL,6XL.

Code

1841



### **Taped Hi Vis Fleece Hoodie**

- 100% Polyester Fleece 300gsm, Poly/Cotton 2x2 Rib knit.
- Reflective taped hoop pattern around body.
- Premium polyester low pill fleece.
- Shaped hood with contrast internal lining.
- Internal rib collar for extra comfort.
- Full open front zip for easier accessibility.
- Front contrast kangaroo style shaped pockets.
- Rib cuffs with thumb opening.
- Colours: Yellow/Navy, Orange/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL,6XL.

Code

3353



#### Hi Vis Fleece Pullover

- 100% Polyester Fleece 300gsm.
- Premium polyester low pill fleece.
- Closed ¼ front with zippered opening.
- Rib cuffs with thumb opening.
- Poly/Cotton 2x2 Rib knit.
- Colours: Yellow/Navy, Orange/ Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL,6XL.

Code

### Hi Vis Hoodies & Fleece





### Hi Vis Full Zip Fleece Hoodie

- Easy to see, easy to wear.
- 80% Polyester for durability, and 20% Cotton for comfort.
- 280gsm fleece fabric.
- Contrast panel at body and sleeves.
- Rib Basque sleeve cuffs for improved durability.
- Hood with draw-cord.
- Easy care fabric.
- Two front pockets and pen pocket on sleeve.
- Colours: Lime/Navy, Orange/Navy.
- Sizes: S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6/7XL.

Code

3355



### Hi Vis (D+N) 1/2 Zip Polar Fleece

- High Vis comfort, 100% Polyester for durability.
- 280 gsm low pill polar fleece fabric.
- Contrast panel at sleeves and lower front body.
- Two in seam side pockets and pen pocket on sleeve.
- Elastic bottom hem with adjustable toggles.
- Easy care fabric.
- Colours: Lime/Navy, Orange/ Navy.
- Sizes: S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6/7XL.

Code

3356





### Hi Vis (D+N) Full Zip Fleece Hoodie

- 80% Polyester for durability, and 20% Cotton for comfort.
- 280gsm fleece fabric.
- Contrast panel at body and sleeves.
- Rib Basque sleeve cuffs for improved durability.
- Hood with draw cord.
- Easy care fabric.
- Two front pockets and pen pocket on sleeve.
- Colours: Lime/Navy, Orange/Navy.
- Sizes: S, M, L, XL, 2XL, 3XL, 4XL, 5XL.

Code









- Reflective tape 'H' pattern around body.
- Waterproof seams sealed outer shell jacket.
- Waterproof rating over 15,000mmH2O.
- Water vapour penetration over 4000G/M2/24hrs.
- Showerproof inner jacket.
- Zip-out reversible padded bodywarmer.
- Detachable zip-out sleeve.
- Heavy-duty two way zippered front opening.
- Colours: Yellow/Navy, Orange/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL,6XL.

Code

1586



heat seal tape in 'H' pattern around body with an hem tape and bio motion taping on sleeves.

of Jacket / 2 Layer water resistant fabric.

of rating over 20,000mmH2O.

I for extra comfort and mobility.

with plastic press studs and zip closure.

e cuff with contrast touch tape tab and internal

ellow/Navy, Orange/Navy.

S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6XL.

Code

3358



#### TTMC-W 5 in 1 Wet Weather Jacket

- Reflective tape 'H' pattern around body with extra back hem tape for TTMC-W compliancy.
- Waterproof seams sealed outer shell jacket / Waterproof rating over 15,000mmH2O.
- Water vapour penetration over 4000G/M2/24hrs / Showerproof inner jacket.
- Zip-out reversible padded bodywarmer.
- Colour: Orange.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6XL.

Code

est



### **Bison Extreme Lined Jacket**

- Guaranteed to keep you dry for 12 hours.
- Zip off, foldaway hood / Zipped plans/cellphone pocket.
- Warm Sherpa lining easily removed by zipping out.
- One piece shoulder for less leakage, neoprene storm cuffs, Two waist pockets with zip closures.
- Stay safe using the peripheral vision adjuster on hood designed for wearing with hard hats.
- Water column: mm H20:25,000mm / Breathability: 5,000g/ m2/24H.
- Colours: Orange/Black.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 6XL, 8XL.

Code

1483

### **Day/Night Vest**

shoulder for added protection. smart phone pocket, detachable ID card holder. column: mm H20:16,000mm. ability: 4,000g/m2/24H.

- Colours: Orange/Navy, Yellow/Navy & Yellow/Black.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 6XL, 8XL.

Code

1607



1 Jacket a acket: Con rain gutte smartphonepocket / Two p cuffs.



- Stamina Vest with zip off sleeves (use as vest or jacket):
   Premium heavy duty zippers / Knit storm cuffs / Black anti-pill polyfleece liner / Zips inside outer jacket. Water column: mm H20:16,000mm / Breathability: 4,000g/m2/24H.
- Colours: Orange/Navy & Yellow/Navy.
- Sizes S-4XL, 6XL, 8XL.











### **Tufflex TTMC-W Winter Jacket**

- Kaiwaka Tufflex Hi Viz is ideal for Agricultural, Horticultural, Contractors and Construction.
- Lined weatherproof hood with drawstring and toggle adjustment, with peak design giving excellent peripheral vision.
- YKK heavy duty two way zipper.
- Front shortened to reduce bulk with long tail flap for extra warmth and weather protection.
- Fleece lined for warmth and comfort.
- Double stormflap over zip with brass metal dome fasteners.
- Colours: Orange, Yellow.
- Sizes: SM, M, L, XL, 2XL, 3XL, 4XL, 5XL.

Code

1511



#### **Tufflex TTMC-W Parka**

- Kaiwaka Tufflex Hi Viz is ideal for Agricultural, Horticultural, Contractors and Construction.
- Unique full face stormproof hood with drawstring and toggle adjustment, with NEW IMPROVED peak design giving excellent peripheral vision.
- YKK heavy duty two way zipper.
- Double stormflap over zip with brass metal dome fasteners.
- Two large waterproof storage pockets.
- Comfortable, waterproof internal wrist cuffs in sleeves.
- · Colours: Orange, Yellow.
- Sizes: S, M, L, XL, XXL, 3XL, 4XL, 5XL.

Code

3360



#### Windtec PARKA

- Drawstring weatherproof hood.
- Heavy duty zipper with stormflap and brass metal dome fasteners.
- One large waterproof storage pocket.
- Comfortable, internal wrist cuffs in sleeves.
- Manufactured in China.
- · Colours: Yellow.
- Sizes: S, M, L, XL, XXL, 3XL, 4XL, 5XL.

Code

# Rain Pants





### **Bison Extreme Bib Overtrouser**

- Guaranteed to keep you dry for 12 hours.
- Knee gussets for increased flexibility and comfort.
- 1. Front pockets with waterproof zipper / Rear pockets with storm flaps / Extra wide YKK zipped waterproof leg gusset / Double band of UltraFlect® reflective tape for additional visibility.
- 2. Adjustable velcro waist tabs / Extended wear with knee reinforcements / Cargo pocket with storm flap / STRATATEK fabric / SYSTEMSEAL technology.
- Water column: mm H20:25,000mm / Breathability: 5,000g/ m2/24H.
- Colours: Orange/Black.
- Sizes: S-4XL, 6XL & XS (Orange) and 2XL-4XL (Black).



**4** – T





Code

3073





- Double bands of UltraFlect reflective tape on legs.
- Zipped leg gussets, tough crutch strengthened.
- Water column: mm H20:16,000mm.
- Breathability: 4,000g/m2/24H.
- Colours: Yellow, Orange.
- Sizes: S-4XL, 6XL & 8XL.



Code







### **Bison Extreme Hi Vis Raintrousers**

- 1. Adjustable velcro waist tabs / Rear and cargo pockets with storm flaps / YKK Zipped leg gussets.
- 2. Ruler and tool side pocket / Front pockets with waterproof zippers / Button waist closure.
- 3. Heavy duty belt loops / Knee reinforcements for extended wear / Double band of UltraFlect® reflective tape for additional visibility.
- Water column: mm H20:25,000mm / Breathability: 5,000g/ m2/24H.
- Colours Orange/Black and Yellow/Black.
- Sizes S-4XL, 6XL & 8XL.



Code

1484

### **Stamina Hi Vis Overtrousers**

- 100% Polyester Raintrouser, with PU membrane.
- Totally Seam Sealed.
- Tough Crutch strengthened.
- Water column: mm H20:16,000mm.
- Breathability: 4,000g/m2/24H.
- Colour: Orange and Yellow.
- Sizes: XS-4XL, 6XL & 8XL.

Code



Shell Vest & Jackets



### **Soft Shell Jacket with 3M Reflective Tape**

- Water resistant fabric with breathable membrane.
- Bonded internal fleece face.
- Zippered pockets with waterproof zipper.
- Draw cord waist grips close to the body.
- Reflective piping along front chest and back.
- Eyelet ventilation under both sleeves.
- Sleeve cuff adjusters reduces water entering over wrist.
- Colours: Yellow/Navy and Orange/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 6XL.

Code

1563



### **Taped Two Tone Hi Vis Ripstop Softshell Jacket**

- Showerproof Jacket.
- Two Layer water resistant fabric with bonded contrast hi vis colour internal brushed fleece for extra warmth.
- Front body panels with mesh lining.
- Waterproof zipper closure at opening.
- Waist pockets with zipper closure.
- Lower sleeves and lower body panels in contrast colour for dirt protection.
- Shaped back tail.
- Shaped built in hood with collar stand and adjustable cord for additional weather protection.
- Colours: Yellow/Navy and Orange/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 6XL.

Code

3362





### **Taped Hi Vis Soft Shell Vest**

- Water resistant fabric with breathable membrane.
- Bonded internal fleece face.
- Waterproof zip vest opening.
- · Waist pockets with zipper closure.
- Draw cord waist grips close to the body.
- Chin guard zip stopper.
- Colours: Yellow/Navy and Orange/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 6XL.

Code









### Hi Vis Day/Night Softshell Vest

- Contrast dust panels at front body, 320gsm fabric.
- Side seam hand pockets with zip closure and internal mobile pocket with Hook-Pile Tape closure.
- Bottom hem with adjustable drawcord.
- Waterproof rate 5000mm and Breathability rating 5000.
- 95% Polyester for durability, and 5% Elastane four-way.
- Stretch bonded with membrane and micro fleece.
- Colours: Lime/Aqua, Lime/Charcoal, Lime/Navy, Orange/ Charcoal, Orange/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL.

Code

3363













### Hi Vis (Day/Night) Softshell Jacket

- 95% Polyester for durability, and 5% Elastane four-way stretch bonded with membrane and micro fleece.
- 320gsm fabric.
- Contrast dust panels at sleeves and front body.
- Side seam hand pockets with zip closure, internal mobile pocket with Hook-Pile Tape closure and pen pocket at sleeve
- Bottom hem with adjustable drawcord.
- Waterproof rate 5000mm and Breathability rating 5000.
- Colours: Lime/Aqua, Lime/Charcoal, Lime/Navy, Orange/ Charcoal, Orange/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL.

Code

# Puffer Jackets





### **Taped Two Tone Hi Vis Puffer Jacket**

- Reflective tape in 'H' pattern around body and bio motion taping on sleeves.
- Showerproof jacket with modern fit.
- Two Layer water resistant fabric.
- Quilting partitions at front and back body panels for extra warmth.
- Lined sleeves with internal wadding.
- Waterproof zipper closure at opening.
- Waist pockets with reflective zipper closure.
- Internal LHS patch pocket, shaped back tail.
- Shaped built in hood with collar stand and adjustable cord for additional weather protection.
- Colours: Yellow/Navy, Orange/Navy.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL, 6XL.

Code

3368



### Taped Hi Vis Puffer Vest

- Modern fit, showerproof Vest.
- Reflective tape in 'H' pattern at front and 'X' pattern at back with extra back hem tape for TTMC-W and NSW Rail compliance.
- 2 Layer water resistant fabric with polyester wadding for
- Quilting partitions at front and back body panels.
- Waterproof zipper closure at front opening.
- Internal LHS patch pocket.
- Shaped extended back tail.
- Colours: Orange.
- Sizes: XS, S, M, L, XL, 2XL, 3XL, 4XL, 5XL,6XL.

Code

3369

**ARGYLE** 













- 220gsm genuine duck down padding top quality, lightweight and comfortable padding.
- Zip off and adjustable hood / Adjustable velcro sleeves / Zip cellphone pocket on chest to keep phone protected / Zip waist pockets to keep your goodies safe / Padded hood to keep your head and ears warm / Premium vislon zips / Outer shell only is water/wind resistant.
- Colours: Orange.

Sizes S, M, L, XL, 2XL, 3XL, 4XL, 6XL, 8XL.

Code









### **Argyle Day/Night Sunsafe Overall**

- Manufactured with Maxim<sup>™</sup> cotton fabric.
- YKK non-conductive two-way vislon zip.
- Elastic back hip pocket and tool pocket on leg.
- Protection placket over zip closure.
- Stress-points bar-tacked.
- 310gsm 100% MAXIM Cotton Zip Closure.
- Colours: Navy/Hi Vis Orange.
- Sizes: 5-14 & 16.

Code

2969



### **Argyle Taped Bib Overall**

- UltraFlect reflective taped overall.
- YKK Vislon zip front.
- Breast pocket with concealed dome.
- Pen and smartphone pocket.
- Back hip pocket & rule pocket on leg.
- 300gsm 100% Cotton Dome Closure.
- Colours: Navy/Orange.
- Sizes 5-14 & 16.

Code

2703



### **Argyle Lightweight TTMC-W17 Overall**

- Contrast collar is practical for dirty hands and neck.
- VentYou back and underarm ventilation for coolness and all day comfort / Safe and secure internal cell phone pocket.
- Bellows cargo pocket with hidden slotted entry pocket behind / Double thickness knees for longer life / Double and triple stitched high tensile thread / Biomotion tape design for increased visibility / YKK non-conductive two-way vision zip.
- Quick access angled zipped chest pockets / Velcro adjustment on sleeve cuffs / Tough Crutch® - strengthened crutch area reinforcing for longer life / Protection placket over zip closure.
- Colours: Navy/Orange.
- Sizes 4-14 & 16.

Code

### **Industrial Overalls**



### **Argyle Euro Overall**

- Double thickness knees with internal knee pad option.
- Zipped front closure with protection placket.
- Underarm ventilation gussets.
- Reinforced crotch seam.
- · Velcro closure on sleeves.
- Colours: Black/Red, Black/Royal, Black/FIYellow, Black/Grey.
- Sizes 5-14.





Code

3364





- Reflective tape front and back.
- Convenient ID storage pocket.
- The Orange vest is Transit Compliant.
- Colours: Orange or Lime.
- Sizes: XS 6XL, 8XL, 10XL.

Code

1123



# **High Vis Long Sleeve Reflective Vest**

- Reflective tape front and back.
- The Orange vest is Transit Compliant.
- Colours: Orange or Lime.
- Sizes: S 6XL, 8XL.

Code



# Safety Glasses





#### **Breeze MKII**

- Medium Impact, anti scratch, anti fog lens.
- Virgin Polycarbonate.
- 99.9% UV protection for outdoor wear.
- Qty/Box 12.
- Qty/Carton 144.
- Available in Clear, Smoke, Flash Silver and Amber.
- Certification(s): AS/NZS1337.1:2010.

Code

3372



### **Typhoon Indoor/Outdoor**

- Medium impact, anti-scratch and anti-fog lens.
- Frameless and ultra lightweight to increase comfort for extended wear.
- 99.9% UV protection for outdoor wear.
- Comfortable silicone nose piece.
- Adjustable arm height.
- Adjustable arm length.
- Qty/Box 12.
- Qty/Carton 144.
- Available in Clear, Smoke, Flash Silver and Amber.
- Certification(s): AS/NZS1337.1:2010.

Code

2986



### **The General Safety Glasses**

- Medium Impact anti scratch.
- 9 base curve lens for increased eye and lateral coverage.
- Anti scratch, anti-fog lens.
- 99.9% UV protection for outdoor wear.
- Box 12.
- Qty/Carton 144.
- Available in Clear, Smoke, Amber and Brown.
- Certification(s): AS/NZS1337.1:2010.

Code





#### **Tsunami Safety Specs**

- Medium impact.
- Anti scratch.
- 99.9% UV protection.
- Qty/Box 12.
- Qty/Carton 288.
- Available in Clear, Smoke and Amber Lens.
- Certification(s): AS/NZS1337.1:2010.

Code

2981



#### Futura<sup>®</sup>

- Medium impact, anti scratch lens.
- Anti-fog lens ideal for use with dust masks in humid conditions.
- 99.9% UV protection for outdoor wear.
- Ultra lightweight to increase comfort for extended wear.
- Comfortable silicone nose piece.
- Soft, rubber tip arms for added comfort.
- Qty/Box 12.
- Qty/Carton 144.
- Available in Clear, Smoke and Blue Mirror.
- Certification(s): AS/NZS1337.1:2010.

Code

3374



#### Richter

- Medium impact.
- Anti scratch and anti fog lens.
- Stylish, wrap around design which promotes wear in any work environment.
- 99.9% UV protection for outdoor wear.
- Ultra lightweight to increase comfort for extended wear.
- Qty/Box 12.
- Qty/Carton 288.
- Available in Light Brown, Clear and Smoke.
- Certification(s): AS/NZS1337.1:2010.

Code







#### **Visitors**

- Medium impact.
- Deep design allows the glasses to be worn over prescription spectacles.
- 99.9% UV protection for outdoor wear.
- One piece lens provides unobstructed 180° view.
- Qty/Box 12.
- Qty/Carton 288.
- Available in Clear and Smoke.
- Certification(s): AS/NZS1337.1:2010.

Code

1824



#### **Cirrus**

- 99.9% UV Protection for outdoor wear.
- Medium Impact Rated.
- Ergonomic lens design.
- Anti fog and anti scratch lens.
- Arms with co-injection technology of soft temples Ultimate Comfort.
- Super flexible and well secured grip to wearer even with heavy duty work and sweating.
- Qty/Box 12.
- Qty/Carton 144.
- Available in Clear, Smoke, Amber and Indoor/Outdoor.
- Certification(s): AS/NZS1337.1:2010.

Code

2985







- Lightweight wraparound frame design with clear lens, antifog & anti-scratch coated.
- Standards certified to AS/NZS 1337.1 medium impact protection.
- Advanced lens venting system for added vision safety.
- Semi- attached lenses allowing multi-flexi fit to different face profiles.
- Adjustable silicone rubber nose pads for superior comfort.
- 99.9% UV protection for outdoors.

Code

#### Honeywell



#### **ICOM**

- Premium Eye Protection combined with the latest Bluetooth technology that connects directly with cellular and Smart Phones or other Bluetooth enabled devices.
- Protects the eyes and allows simple and clear communication for those who work in environments with back-ground noise or in distant working situations where clear and unobstructed communication is essential on the job.
- Certification(s): EN 166.

Code

10559



#### Adaptec

- Adjustable nose bridge centres eyes to reduce fatigue.
- Self-adjusting nose pads add to worker comfort.
- Adjustable lens angle improves safety and reduces fogging.
- Temples micro-adjust for a snug fit and all-day comfort.
- Available in Clear, Smoke and Amber.
- Certification(s): AS/NZS 1337.1.

Code

3376



#### XC

- XC stands for X-tra Coverage, X-tra Comfort and X-tra Control.
- Loaded with features with quick and easy lens replacement and an RX insert for prescription wearers.
- Available in Clear, Smoke and Amber.
- Certification(s): AS/NZS 1337.1:2010.

Code

2403

#### **SP1000 Sealed Eyewear**

- Soft and flexible nose piece conforms to a variety of facial profiles and minimises slipping.
- Soft high quality face cushioning and padded temple tips offer all day comfort.
- Highly adjustable flame resistant headband provides excellent fit.
- Exceptional peripheral vision.
- Available in Clear, Smoke and Amber.
- Certification(s): ASNZS 1337.1: 2010.

Code



#### Honeywell



#### **Impulse**

- Dual 7-base wrap-around lens provides uncompromising peripheral vision and protection.
- Soft Flexible fingers adjust and conform to almost any nasal profile and help reduce slipping and sliding.
- Soft elastomer brow guard diffuses and deflects impact.
- Adjustable lens inclination/ratcheting temples for a more secure and customizable fit.
- Padded temple and temple tips provide all-day comfort.
- Available in Clear, Smoke and Amber.
- Certification(s): AS/NZS 1337.1 optics.

Code

2400



#### Hypershock™

- Provides a high level of comfort and exceptional fit whilst delivering high performance protection.
- Lightweight, wrap-around frame is engineered to fit a wide range of workers, providing increased coverage, side protection and superior peripheral vision.
- 100% dielectric. Can be worn in environments where accidental exposure to electrical charge is possible.
- Available in Clear and Smoke.
- Certification(s): AS/NZS 1337.1.

Code

2402



#### **Pinnacle**

- Soft temple tips provide a comfortable fit for all day wear.
- 100% dielectric with no metal parts.
- Exceptional coverage without compromising on style.
- Combined Anti Fog/hard coat lens coating provides enhanced vision in humid environments and prevents scratches providing extended lens life in harsh work environments.
- Available in Clear, Smoke and Amber.
- Certification(s): AS/NZS 1337.1.

2401

Code



#### **A700 Series**

- Economical and stylish eye protection.
- Sport temples with soft temple tip pads for comfortable fit.
- Available with scratch-resistant hard coating or optional Fog-Ban anti-fog coating.
- Polycarbonate, distortion-free, hard coat lenses.
- Available in Clear, Smoke, Amber and Light Brown.
- Secure wrap-around design.
- Soft temple tip pads for a secure fit.
- Certification(s): AS/NZS 1337.1.

Code

## Polarised Glasses





#### **Mercury Smoke Polarised**

- Medium impact, anti scratch, anti fog lens.
- Lightweight and durable polycarbonate frame.
- Ribbed "SMART FIT" adjustable nose bridge for a customised fit.
- 99.9% UV protection for outdoor wear.
- Sold individually.
- Qty/Carton 144.
- Certification(s): AS/NZS1337.1:2010.


Code


10452

#### Honeywell



#### SolarPro2™





• Certification(s): AS/NZS 1337.1 2010.

Code

10451



#### **Hypershock Polarised Safety Glasses**

- Ideal for indoor and outdoor applications in construction, oil & gas, mining, utilities, landscaping, manufacturing, marine.
- Rugged design and an espresso frame on espresso lens options, offering a stylish look workers will want to wear.
- 100% dielectric.
- Can be worn in environments where accidental exposure to electrical charge is possible.
- Certification(s): AS/NZS 1337.1.

Code





#### **Polarised Glasses**





#### **Panther Polarised smoke**

- Anti scratch coating to reduce marking and dirt build up.
- AS/NZS 1337.1 Medium Impact protection with shatterproof lens.
- UV400 filter for 100% UV filter protection outdoors.
- Highly polished two tone styling.
- Wrap around design with increased side protection.
- Soft TPR nose bridge and side arms for comfort.

Code

10644

## Lense Cleaning Wipes



#### **Anti Fog Lens Clean Wipes**

- Provides an anti fog coating.
- Alcohol and ammonia free pre moistened lens towelette.
- Soft and absorbent, Individually packed.
- Made from tissue designed specifically for lens cleaning.
- Protects lens coatings ensuring longer usage life.
- Anti bacterial, Anti static.
- Qty/Box 100 wipes Qty/Carton 50.

Code

8877



#### **Lens Clean Wipes / Alcohol Free**

- Lens Cleaning Wipes.
- Alcohol and Ammonia Free pre moistened lens towelette.
- Made from tissue designed specifically for lens cleaning.
- Soft and absorbent, Individually packed.
- Protects lens coatings ensuring longer usage life.
- Anti bacterial, Anti static.
- Qty/Box 100 wipes Qty/Carton 50.

Code

## Goggles





#### **Cyclone Clear Goggle**

- Certified medium impact, anti scratch lens.
- Spherical lens for clearer peripheral vision.
- Liquid splash protection.
- Anti fog lens.
- 99.9% UV protection for outdoor wear.
- Foam bound with wide strap for comfort.
- Indirect venting.
- Colours: Clear and Smoke.
- Qty/Box 12.
- Qty/Carton 72.

Code

3379



#### Inferno FR Clear Goggle

- Certified medium impact, anti scratch lens.
- Fire retardant and tested for ignitions resistance.
- Spherical lens for clearer peripheral vision.
- Red frame to identify Emergency Services.
- Liquid splash protection.
- Anti-fog lens.
- 99.9% UV protection for outdoor wear.
- Foam bound with wide strap for comfort.
- · Indirect venting.
- Colours: Clear, Smoke and Amber.
- Qty/Box 12.
- Qty/Carton 72.

Code

3380



#### **3700 Series Clear Goggle**

- Certified medium impact, anti scratch lens.
- Certified liquid splash protection.
- Anti fog, hardened 2mm lens ideal for use with dust masks in humid conditions.
- 99.9% UV protection for outdoor wear.
- Foam bound with wide strap for comfort.
- Indirect venting.
- May be worn over specs.
- Colours: Clear and Smoke.
- Qty/Box 12.
- Qty/Carton 72.

Code



#### Goggles









#### Vadar Clear Goggle/Mask Combo

- Certified to AS/NZS1337.1:2010 Lic # 40028 (SAI Global).
- Medium Impact.
- and face Wide peripheral vision coverage.
- Liquid splash protection.
- Anti fog lens.
- 99.9% UV protection for outdoor wear
- Ventilated face mask.
- Goggles and face shield can detach.
- Sold individually.
- Colours: Clear & Smoke.
- Qty/Carton 24.

Code

2510







Goggle and Respirator

#### Finding Fit Breating Resistance and Fittration oggle & Mask Combo FSPG

- FilterSpec™ Pro Goggle / Mask Combo.
- Optimal Fit, Breathing Resistance and Filtration.
- Minimizes Lens Fogging due to seal created.
- Carry 18 Straight Straight to achieve the optimal fit & comfort.
- Fully adjustable strap to achieve the optimal fit & comfort

  Can be worn over most prescription eyewear

  5.5 base curve, one piece lens offers unobstructed viewing
- Goggle: Certified to AS/NZS1337.1:2010, Anti-Fog, Anti-Scratch, Medium Impact Protection Lens, Fully adjustable strap to achieve the optimal fit & comfort, Can be worn over Profitest prescription eyewear, 5.5 base curve, one piece lens · Quieth of supplies for early thing the tructed viewing.
- Protects against nuisance-level organic vapours in addition to P2 rating, Moulded nose piece for close fit, QuickLock straps for easy fit and release, Exhalation ProValve for extra airflow, Also available replacement masks - Qty/ Carton - 20.

Code

#### Goggles

#### Honeywell



#### **Honeywell DuraMaxx**

- The DuraMaxx<sup>™</sup> goggle provides wearers with a wide range of premium performance benefits including comfort, anti- fog & anti scratch capabilities, ease of use, and durability.
- The Duramaxx Goggle is the goggle for workers who will not compromise on performance.
- EC Category PPE, Standards EN166/EN170/EN172/EN171, European Directives 89/686/EEC, ISO 9001/2000, AS/NZS 1337.1:2010 Australia/New Zealand Standards.
- Colours: Blue/Grey Body (Clear Lens) and Navy/Grey Body (Grey Lens).

Code

2434



#### **Honeywell DuraMaxx Fire**

- The Duramaxx Fire goggle is the goggle for fire fighting professionals which provides wearers with a wide range of premium performance benefits including comfort, anti fog and anti scratch capabilities, ease of use and durability.
- Duramaxx Fire Goggle Clear Lens, Dura-streme Dual Coating (HC/AF).
- Colours: Red/Grey Body.

Code

10647



#### **Honeywell Strategy Goggle**

- The Strategy® Goggle is an economical over-the -glass (OTG) goggle that delivers both premium comfort and maximum protection.
- With a powerful combination of innovative, face-hugging material and a rugged design that withstands the harshest environments, the Strategy Goggle provides protection, peace of mind and total comfort.
- These are the goggles workers will want to wear.
- Colours: Grey body closed vent, clear anti-fog, neoprene headband and Grey body indirect vent with foam. Clear anti-fog, fabric headband.

Code



## Visors & Accessories





#### **Assembled Browguard with Visor**

- Anti fog visor (VC) and browguard (BG).
- Extra high impact rated.
- Ready assembled to be on the task immediately.
- 99.9% UV protection for outdoor wear.
- Sold Individually.
- Qty/Carton 10.

Code

4134



#### **Smoke Polycarbonate Visor**

- Smoke Polycarbonate Visor.
- Anti fog 2mm visor to suit BG, BGNH and HHBGE.
- Extra high impact rated.
- Molten metal and hot solids resistant.
- 99.9% UV protection for outdoor wear.
- One piece wrap around allowing for unobstructed views and excellent side protection - 405mm wide x 205mm high.
- Extra 30mm length visor for increased protection.
- Sold Individually.
- Qty/Carton 50.

Code

5015



#### **Shade 5 Polycarbonate Visor**

- Anti fog 2mm visor to suit BG, BGNH and HHBGE.
- Extra high impact rated Ideally suited to: Light oxygen cutting, Flame descaling and silver brazing, braze welding light gauge copper and steel, welding die cast, oxygen cutting, medium thickness, lead welding and braze welding, oxygen lancing and deseaming, flame gouging.
- Certified to AS/NZS 1338 ID 4018 for gas welding.
- Extra 30mm length visor for increased protection.
- Iron and hard facing.
- Sold Individually.
- Qty/Carton 50.

Code

#### **Visors & Accessories**



#### **Clear Polycarbonate Visor**

- Anti fog, anti scratch\* 2mm visor to suit BG, BGNH and HHBGE.
- Extra high impact rated.
- Molten metal and hot solids resistant.
- 99.9% UV protection for outdoor wear.
- One piece wrap around allowing for unobstructed views and excellent side protection - 405mm wide x 205mm high.
- Extra 30mm length visor, increased protection.
- Sold Individually.
- Qty/Carton 50.

Code

5014



#### **Mesh Visor**

- An absolute must when using electric chainsaws and mowing type operations.
- Fits with BG and HHBGE Visor Browquards.
- Certified by BSI for EN1731 with increased robustness.
- Made from high quality stainless steel.
- Sold Individually.
- Qty/Carton 50.

Code

8615



#### **Browguard with Ratchet Head Gear**

- One piece design offering 180° head protection made
- from durable Polyethylene.
- Lightweight Browguard will accommodate all ProChoice Visors – VC, VS, VS5 and VM. Cotton sweat band which provides greater sweat absorption. QuickLock clips for quick and easy visor replacement.
- Sold Individually.
- Qty/Carton 10.

Code

7442



#### **Hard Hat Brow Guard**

- Fitted with QuickLock clips.
- Sold Individually.
- Qty/Carton 10.

Code



#### **Visors & Accessories**



#### **Honeywell Forestry Visor**

- Mesh visor that can be fitted to most hard hats to incorporate the Howard Leight range of helmet earmuffs.
- Recommended Industries/Use: Forestry.
- Hazards: Abrasion, Airborne Particulates, Impact.
- Note: Earmuffs & Hard Hat Not included.

Code

6835



#### **Honeywell Garden Kit**

- Ideal for the professional landscape gardener, council workers and even the home gardener.
- Mesh visor which includes Howard Leight Class 5 earmuff & browquard.
- The Honeywell Garden Kit combines complete protection of the eyes and face with a mesh visor and browguard, along with hearing protection with the Howard leight L12 Leightning earmuff.
- Recommended Industries/Use: Forestry.

Code

### Hard Hats & Accessories



#### **V9 Vented Hard Hats**

- Lightweight, colour range of vented hard hats.
- Individually packaged.
- Colours can be assigned to location, job or industry.
- 9 air vents, 6 point Push Lock harness.
- Approvals: AS/NZS1801 SAI Global Certified Lic. 20500.
- Materials: Impact resistant ABS material.
- Sold Individually.
- Qty/Carton 20.





Code

2507



#### **V9 Unvented Hard Hats**

- Lightweight, colour range of unvented hard hats.
- Individually packaged, colours can be assigned to location, job or industry, 6 point PushLock harness. Materials: Impact resistant ABS material.
- Approvals: AS/NZS1801 SAI Global Certified Lic. 20500.
- Sold Individually.
- Qty/Carton 20.



Code

3401



#### **V9 Hard Hat with Ratchet Harnesss**

- V9 Hard Hat with Ratchet Harness.
- Quick and easy single hand adjustment whilst wearing the helmet. Ideal for high wind areas when a secure fit is needed quickly, swivel feature for advanced positioning on back of the head. Small and unobtrusive design won't get in the way
- Retro-reflective adjustment dial.
- Webbed Harness cradling system to ensure correct hat position and promote ventilation.
- 6 point Ratchet harness.
- Built in sweat band for added comfort.
- AS/NZS 1801 SAI Global Certified Lic 20500.
- Impact resistant ABS Material, Sold Individually.
- Qty/Carton 20.



Code



#### **Hard Hats & Accessories**



#### V6 o Shade

- Made UV stabi olypropylen
- Rubber for a more scure fit.
- Full brim for maximum coverage.
- V6PB is for V6 Hard Hats.
- V9PB is for V9 Hard Hats.
- Sold Individually.
- Qty/Carton 50.

#### Colours Available



Code

2447

Code

Male a con



#### Bu

- 65% cotto er baseball style o
- Eyelet noise for ventilation and comfort.
- Lightweight.
- Fully adjustable to allow a perfect fit.
- Complies to EN812 Industrial bump cap standards.
- Sold Individually.
- Qty/Carton 20.
- Colours: Black and grey, Fluoro orange.



#### EAK)

- polyester basel
- Short peak for greater visibility.
- Foam padded insert protects against bumps and scrapes.
- Eyelet holes for ventilation and comfort.
- Lightweight.
- Fully adjustable to allow a perfect fit.
- Complies to EN812 Industrial bump cap standards.
- Sold Individually.
- Qty/Carton 20.
- Colours: Navy, Fluoro yellow.

Code

#### **Hard Hats & Accessories**



#### **Hard Hat Chin Strap**

- Adjustable hard hat chin strap.
- Keeps hard hat in place in active situations.
- Comfy elastic material.
- Sold Individually.
- Qty/Pack 5.
- Qty/Carton 1000.

Code

3430

#### **Hard Hat Printing**

#### **Fit For Purpose**

As revolutionary as the ProChoice V9 hard hat design is, many ProChoice Safety Gear customers have grown fond of our V6 hard hat over the years and are comfortable with its classic look, familiar fit, and Standards Certified performance. V6 hard hats are still available, with all the inbuilt features that have made them popular including:

- PushLock easily adjusted harness.
- A longer peak for weather protection.
- Six vents.

- Vast printable surface area (24 points).
- Certified to AS/NZS1801.



#### **Printed Hard Hats**

- Print your company name on any of our ProChoice hard hats (HH6, HHV6, PHHV6).
- Option of pad printing in up to 5 colours on the front, back and sides of your hard hats.
- Vinly cut printing also available for further customisation.
- Minimum order qty is 20 units.







Code





# **Synthetic Dipped Gloves**



#### **ProSense™ Latex Foam Glove**



coated palm provides the

dry environments. te resistant. ibility in the workplace.

Code

2995



#### ProSense<sup>™</sup> DexiPro<sup>™</sup>

Lightweight lint free nylon machine knit.

IYCRATM infusion for improved dexterity and ith ultra thin nitrile palm. superior gripping power in et retains superior feel.

iant.



Code

2996



3131

3221



#### ProSense™Stinga® Glove

- Seamless 15 gauge, 100% apparel grade nylon shell
- PVC foam coating provides water repellency, comfort and enhanced gripping power in wet and dry conditions.
- Silicone free.
- Sizes: 7, 8, 9, 10, 11.
- Qty/Pack 12 Pairs.
- Qty/Carton 120 Pairs.

Code









nless and lightweight knit keeping hands cooler and

improved grip in precision

ant without compromising

١g.



3142

Code

2914



#### **ProSense™ Black Panther® Glove**

100% nylon machine knit 13 gauge.

Nvlon liner makes this glove lightweight and



tra grip. ance.



3131

4131

Code

2994



#### **Black Bull**

- Black 13 gauge seamless polyamide / spandex liner for increased comfort and breathability.
- Patented multi-coated foam nitrile coating creates a spongy, abrasion-resistant but flexible barrier that repels liquids to provide an excellent wet or dry grip.
- Highly dexterous, with form fitting liner knitted with the latest U3 technology.
- Sizes: 7, 8, 9, 10, 11, 12.
- Qty/Pack 12 Pairs.
- Qty/Carton 120 Pairs.

Code





**EN** 388

4131



### **Hand Protection**

### **Synthetic Dipped Gloves**



#### **ProSense™ ProLite®**



palm and anti static liner. le with nylon liner. ıd small parts handling.

Code

2951



#### ProSense™ MaxiPro™ Glove



fused Lycra shell. Dam coating for enhanced mum dexterity in wet and

reens.

e 3005 for more dorsal protection.

Code

3000



#### **ProSense™ ONE - Plus Anti Vibration**



- Strategically placed TPR padding for knuckle and finger protection.
- Seamless liner for comfort and durability.
- Foam nitrile palm for superior grip.
- Reinforced thumb for added protection.
- Adjustable velcro strap for a secure fit
- Sizes: 7, 8, 9, 10, 11.
- Qty/Pack 12 Pairs.
- Qty/Carton 72 Pairs.





Code



### **Synthetic Dipped Gloves**



#### **ProSense™ ONE - Multi Purpose**



padding for knuckle and

ased visibility.
t and durability.
rior grip.
led protection.
r a secure fit.

Code

3406



4121

Œ

4241



#### Extra Flex - Flexi Pro



d, nylon liner. dy latex coating.

with excellent grip in oily

Code

3407



#### **Polar Bear Thermal Lined**

- 2-layer warm and ultra-flexible insulated liners.
- FGTFlexi-GripTechnology, delivers uncompromising grip in tough, wet, cold conditions.
- Unique blended coating maintains grip and flexibility in low temperatures.
- Actifresh treated to kill bacteria and eliminate odours.
- Sizes: 8, 9, 10, 11.
- Qty/Pack 12 Pairs.
- Qty/Carton 120 Pairs.

Code





#### **Synthetic Dipped Gloves**





#### **Nitrile Glove**

tection.

ves with black dipped nitrile and abrasion resistance.

Code

3542

a with brushed acrylic liner

ers great wet/dry gripping

skidproof ability in wet and







Microporous surfac power.

Nitrile dots for incre dry conditions.

Foam technology in

es breathability.

nd comfort.

Anatomically designed for dexterity, comfort and fit.

Sizes: 7, 8, 9, 10, 11.

Qty/Pack - 12 Pairs.

Qty/Carton - 120 Pairs.

Code

2509



2131

 $\overline{\Diamond}$ 

3221

(☆ 120



#### **ProSense Stinga® Frost Glove**

- Seamless 15 gauge, 100% apparel grade nylon shell with fleece lining.
- PVC foam coating provides water repellency, comfort and enhanced gripping power in wet and dry conditions.
- Silicone free.
- Sizes 7, 8, 9, 10, 11.
- Qty/Pack 12 Pairs.
- Qty/Carton 120 Pairs.

Code

### **Synthetic Dipped Gloves**



#### **ProSense™ ArcticPro™ Glove**



it. knit. weather work. ra grip. nce. :ra protection.

Code

3006



Œ

3131



#### WorkEasy® VIS

This Hi– Vis, sandy finish nitrile glove offers workers

superior tactile sensitivity. g precision handling, this low linting filament fibres.



Code

3410



#### WorkEasy® GRIP

- This full dip sandy finish nitrile glove offers workers excellent dexterity and superior tactile sensitivity. Suited for work requiring precision handling, this glove range is made from low linting filament fibres.
- Sizes 7, 8, 9, 10, 11.
- Qty/Pack: 12 Pairs.
- Qty/Carton: 144 pairs.

Code



#### **Cut Resistant Gloves**

#### **Arax® Platinum**

PU/Nitrile Dip High Cut Resistant.

0 cut tested for added

stance without sacrificing

rile sand finish coated palm.



Code

3412



#### Arax® One® Anti Vibe

1700 cut tested for added ingers and knuckles from ed palm - ideal for working 100°C.

Code

3413



#### **Arax® Gold Cut**

- EN388 and ASTM 1790 cut tested for added confidence.
- Black nitrile foam dip.
- Form fitting design that emulates individual hand contour for the most comfortable fit.
- Contact heat resistant to 100°C.
- Quick and easy donning and doffing.
- Anti static.
- Sizes 7, 8, 9, 10, 11.
- Qty/Pack 12 Pairs.
- Qty/Carton 120 Pairs.

Code

3414



Œ

4542



4543

# **Hand Protection**

## **Cut Resistant Gloves**

#### Razor X550

Cut level 5 hi-vis polyester glass fibre knitted liner

NEW Gritted Nitrile palm. ormance HPPE combined

t protection with comfort,

ropean Standards cut level re knitted liner with nitrile



Qty/Carton - 120 Pairs.

Code

3415



nine knit for comfort. nce without sacrificing

crotch for extra protection

- Anti static.
- Sizes 7, 8, 9, 10, 11.
- Qty/Pack 12 Pairs.
- Qty/Carton 120 Pairs.

Code

3032



4313

4543



#### **Sure Grip**

- Cut 5 protection with superior grip.
- Seamless HPPE cut resistant liner with black crinkle latex palm coating.
- Great comfort and flexibility.
- Sizes 7, 8, 9, 10, 11.
- Qty/Pack 12 Pairs.
- Qty/Carton 120 Pairs.

Code



#### **Cut Resistant Gloves**





4543



X1XXXX



#### **Arax® Wet Grip**

Arax® Knit Technology with E B Cut 5



et, greasy

Code

2922





**(**E

4543

4542



X1XXXX



#### Arax® Touch

Arax® Knit Technology with E Protection.

Water based black polyurethane uperior sens orm fitting c lates ia le f ntact heat uick and ea offind Anti static.

Sizes: 7, 8, 9, 1

Qty/Pack - 12 Pairs.

Qty/Carton - 120 Pairs.

8 Cut 5

) dip for t.

dual hand

Code

# **Hand Protection Cut Resistant Gloves**







#### **Cut Resistant Gloves**



#### Perfect Cutting® Spectra® NBR



read provides outstanding. The nitrile coating at the vides outstanding abrasion od resistance against oils.

ecure grip on smooth or ack configuration provides

• Qty/Carton - 100 Pairs.

Code

3424



les durable hand protection stance, without sacrificing ige gloves are made from a imide, composite fibre and Nitrile palm and fingertips tear, puncture and abrasion

resistance. At the same time soft and flexible.

- Cutting Resistance: 5.
- Sizes 7,8,9,10, 11.
- Qty/Pack 10 Pairs.
- Qty/Carton 100 Pairs.

Code

1873

EN 388



#### Vertigo PU

- Spectra® knitted glove motled with blue polyamide yarn.
- Polyurethane coating on palm and fingers tips.
- The knitting technique helps to obtain a glove that conforms snugly to the hand, with good dexterity.
- The glove offers maximum comfort and added sturdiness.
- The cool Spectra® touch gives an added sensation of comfort.
- The glove's ventilated back optimises its breathability.
- Cutting Resistance: 3.
- Sizes: 6,7,8,9,10,11.
- Qty/Pack 10 Pairs.
- Qty/Carton 100 Pairs.

Code



#### **Synthetic Leather Gloves**

#### PROFit® Cut 5 Hi Vis

• Cut 5 Arax palm.



r extra grip and wear factor. stection. tab. sack.

Code

3426

#### **PROFit® Silver RiggaMate**

• One piece synthetic leather palm.

ve to leather riggers with

sed increasing lifetime and

ar Fleece lining for more

Code

3427





3111

3534

#### **PROFit® RazorBack**

- Oil and water repellent.
- Hand impact protection system thermoplastic rubber on back of fingers, knuckle and hand.
- Double layer water/oil resistant palm.
- Silicone grip.
- Sizes: S, M, L, XL, 2XL, 3XL.
- Qty/Pack: 12 Pairs.
- Qty/Carton: 72 pairs.



3233

Code

EN 388

3133

#### **Hand Protection**

### **Synthetic Leather Gloves**

#### PROFit® Stockman

seamless and lightweight knit ilation keeping hands cooler and dip for improved grip in precision

- istant without compromising love.
- handling.
- XL, 3XL.
- Qty/Carton 120 Pairs.

Code

3429



tic Glove

etic leather Gecko grip palm.

arfact for handling small parts.

weat wipe. Easy-on finger ced canvas on thumb and ng power. Neoprene knuckle bility. Magnet incorporated ring nails and screws. Nonor hand and power tools in

Code

2393

### PROFit® PROTec

- One piece 0.8mm durable synthetic leather palm.
- Reinforced foam padded inner palm.
- Dynamic neoprene knuckle bar for increased flexibility.
- Express mesh backing for breathability and comfort.
- Soft extended neoprene cuff.
- Sizes: S, M, L, XL, 2XL.
- Qty/Pack: 12 Pairs.
- Qty/Carton: 72 pairs.

Colours Available

Black

Hi-Vis Yellow

Code

3430







PTY - Hi-Vis Yellow

Œ

3233

3131

#### **Hand Protection**

### **Synthetic Leather Gloves**

#### PROFit® SuperCharge



• Qty/Carton: 72 pairs.

double stitched synthetic 'Stick' silicone.

iff for comfort and wrist

nuckle bar for increased

r breathability and comfort.

Code

3431

### **PROFit® Fingerless Glove**

- One piece 0.8mm Synthetic leather palm.
- 5mm SBR foam insert for best Vibration.



ed inner palm with non

r breathability and comfort. weat wipe. on.

Code

3432

### Yellow Grey Leather Glove



- Yellow safety cuff and knuckle bar for extra protection.
- Lightweight, economical cotton back.
- One size fits all.
- Qty/Pack 12 Pairs.
- Qty/Carton 72 Pairs.





Code

### **Synthetic**



#### PROFit® PROVibe



padded palm. increased flexibility.

and and power tools.

Code

3434

PROFit® RiggaMate

One piece synthetic leather palm.

Neoprene knuckle

panel provides increased provides wearer superior nent making it cool and

er riggers with similar wear

r increased airflow. ed increasing lifetime and

PFRY - Hi-Vis Yello

Black Hi-Vis Yellow

Qty/Pack - 12 Pairs.

Qty/Carton - 120 Pairs.

Code

3435





- Cool and comfortable premium gold deer grain leather palm for great feel and durability.
- Perforated fourchettes for increased airflow.
- Black nylon, lycra, foam back for extended wearer comfort and flexibility.
- Black neoprene knuckle bar to guard against knocks.
- Elastic cuff with hook and loop fastener.
- Sizes: S, M, L, XL, 2XL.
- Qty/Pack 12 Pairs.
- Qty/Carton 120 Pairs.

Code

3436





**(**E

4121

3121

**EN 388** 



#### **Leather Gloves**







ather. ess for protection with a kterity. alm for increased durability

Qty/Pack - 12 Pairs.

Code

3437



n Premium

r glove. Wing thumb, stitch :uff for size identification.





WLY/FACK - 12 Falls.

Qty/Carton - 120 Pairs.

Code

3438



- rain leather.
- ee palm for increased durability.
- for size identification.
- XL, 3XL.

- Qty/Carton 120 Pairs.

Code

3003



3121



#### Riggamate® Revolution D

- Heavy duty cow grain leather.
- Wing thumb palm for increased durability and hand
- Sizes: S, M, L, XL, 2XL, 3XL.
- Qty/Pack 12 Pairs.
- Qty/Carton 120 Pairs.

Code



### **Hand Protection Leather Gloves**







ess for protection with a alm for increased durability L.

Code

2967

Qty/Carton - 120 Pairs.



t Leather

lit rigger glove.

/ size identification.

**CE** EN 388

3232

Qty/Carton - 120 Pairs.

Code

3440



Grain Leather

ning. e. rmth.

alm.

Qty/Pack - 12 Pairs.

Qty/Carton - 60 Pairs.

Code

10832





#### **Riggamate® Reflector Lined**

- 100gm 3M<sup>™</sup> Thinsulate lining.
- "A" Grade cow grain palm.
- Orange reflective back with 25mm yellow reflective tape for day and night use.
- One size fits all.
- Qty/Pack 12 Pairs.
- Qty/Carton 60 Pairs.

Code

9135

CE









2344



42434X EN12477 Type A



ld

atures for

oility. tion.

Code

4102



4143



414X4X EN12477 Type A



fort and

ion.

Code

10836





knit for

Code

#### OTECTION

#### **Hand Protection**

## **Nelding Gloves**



3244



4143

EN 407

414X4X

EN12477 Type A

41434X EN12477 Type A



PyroMate® South Paw® Left H

Green & Gold Kevlar® Glove

WEA

atures for

rability. tion.

de

841

air -

waste of

omy and

atures for

rability tion.

de

842

r® Glove

 $\epsilon$ 

EN 407

23XX2X



aty/Carton - 4

de



### **Hand Protection**

## **Welding Gloves**



#### **PyroMate® TIG Welders Glove**

- Soft, lightweight pig grain leather.
- Externally stitched for enhanced dexterity, comfort and feel.
- 300mm overall length.
- One size fits all.
- Qty/Pack 12 Pairs.
- Qty/Carton 120 Pairs.

Code

10630



#### PyroMate® TIGGATM TIG Welders

- Excellent fit and feel for precision welding.
- Durable deerskin provides unmatched dexterity with lighter weight.
- Sewn with Kevlar® thread for maximum seam strength.
- 340mm overall length with a 140mm cuff for added forearm protection.
- Sizes: L, XL.
- Qty/Pack 12 Pairs.
- Qty/Carton 120 Pairs.

Code

## Disposable Gloves & Coveralls

### **Disposable Latex and Nitrile**



#### **High Five Latex**

- Lightly powdered for optimum slip-on disposable latex gloves.
- Manufactured to medical standards.
- Low level of soluble latex proteins.
- 100pc/box.
- Sizes: S XL.

Code

1402



#### **High Five High Risk**

- Tough powder-free high risk latex disposable gloves.
- Extended 30cm cuff for extra protection.
- Industrial skin protection for drainage waste, grouts, fiberglass and cleaning solutions.
- Excellent dexterity, close fitting.
- Extra heavy duty, thick industrial rated latex.
- 50pc/box.
- Sizes: M 2XL.

Code

1555



#### **High Five Blue Nitrile**

- Non latex powder free high quality nitrile rubber disposable gloves.
- Superior puncture and abrasion resistance. Latex free -100% Nitrile.
- Industrial & medical grade approved.
- Paint, silicone, oil and abrasion resistant.
- · Textured fingertips for advanced grip.
- 100pc/box.
- Sizes: S XL.

Code

2448



#### **High Five Industrial Black Nitrile**

- Superior puncture and abrasion resistance. Latex free -100% Nitrile.
- 6mil Stronger, thicker, more chemical resistant.
- Latex free 100% nitrile.
- Textured palm and fingers outstanding grip for your tools.
- Distinctive black colour to mask stains.

Code

• 100pc/box.

• Sizes: S - 3XL.





### **Disposable Gloves & Coveralls**



#### **SMS Coverall**

- Lightweight and soft with excellent strength.
- Anti-Static.
- Elasticated wrists ankles.
- Materials: SMS (Spunbond, Meltblown, Spunbond)
   Triple Layer, Polypropylene with anti-static treatment

Asbestos Removal Approved).

✓ 'ip Seal for increased particle protection.

excellent breathability to reduce moisture build up.

- Excellent barrier to dust and light splash.
- Lint-free.
- · Good opacity.
- Two way zipper for when nature calls.
- Ready access to clothing underneath.
- Specification (s): CE Type 5, CE Type 6, EN1149-1.
- Sizes: M-3XL.
- Sold and Packaged Individually.
- Qty/Carton-50.



Code

2958



#### **PROVEK Disposable Coverall**

- Lightweight and soft with excellent strength.
- Breathable to reduce moisture build up.
- Water vapour permeable and water repellent.
- Excellent barrier to dust and broad range of chemicals.
- CE Type 5 Particle tight clothing.
- CE Type 6 Limited splash particle tight clothing.
- Lint-free.
- Good opacity.
- Materials : Polyethylene (Olefin) film laminated to a polypropylene spun bound non-woven substrate.
- Applications: Construction, General Maintenance, Painting, Clean Rooms, Pharmaceutical Industry & Asbestos Related Work.
- Base Weight: 60 gsm.
- Colours: White.
- Part code : DOWP.
- Sizes: M-3XL.
- Qty/Carton: 50.

Code



# Hearing Protection Hearing Earmuffs



#### Sync Digital AM/FM Hi Vis Radio Earmuffs

- Radio volume does not exceed 82dB.
- Features digital tuning with LCD display.
- 10 pre-set channels.
- Volume memory.
- Aux input can connect to MP3 players and other portable audio devices.
- Class 5 SLC(80) 26dB.

Туре	Code
Hi Vis	6224
Black	6226



#### Sync® Electo Earmuff- Helmet Attached (Pair)

- Radio volume does not exceed 82 dB.
- Directionally placed stereo microphones amplify and enhance sound.
- Aux input can connect to MP3 players and other portable audio devices.
- 10 pre-set channels.
- Separate controls for sound amplification and radio volume.
- Class 5 SLC(80) 26dB.

**Code** 10729



#### Sync® Wireless Bluetooth Earmuff

- Sync is a stereo earmuff that provides high level of hearing protection, high-fidelity sound and allows you to listen to portable audio devices safely at work.
- · Reinforced fork slides with handholds.
- No volume knob or power switch to fiddle with, and no batteries to replace, AUX input can connect to MP3 players.
- Volume Management Technology manages MP3 volume to 82dB / Air Flow Control Technology provides higher attenuation across all noise frequencies.
- SLC80 31dB Class 5.
- Approved to AS/NZS 1270:2002.

Code

#### Leightning Hi-Visibility Noise Blocking Earmuff



#### **Features**

- Bright green earcups provide high visibility and contrast.
- Reflective padded headband illuminates under light for increased visibility and safety.
- Ideal to wear at night, during the day, in low light and under inclement weather conditions.
- Robust steel headband withstands demanding use, especially in tough environments.
- Approved to AS/NZS 1270:2002.

Style	Details	Code
	L1HHV - helmet earmuff / SLC80 28dB Class5	6687
	L2FHV - folding earmuff / SLC80 25dB Class5	10575
	L3HV - headband earmuff/SLC80 33dB Class5	10576



#### Sync™ Stereo Earmuffs

- Sync is a stereo earmuff that provides high level of hearing protection, high-fidelity sound, and allows you to listen to portable audio devices safely at work and at home.
- At any workplace, Sync helps keep you motivated, and productive.
- Sync has no volume knob or power switch to fiddle with, and no batteries to replace, so users can just plug in and go.

**Code** 6232



#### **Mach 1 Noise Blocking Earmuff**

- Economical protection.
- SLC80 22dB Class4.
- Approved to AS/NZS 1270:2002.

Code





#### **Leightning Noise Blocking Earmuffs**

- High performance and robust steel wire durability.
- Patented Air Flow Control technology, delivering optimal attenuation across all frequencies.
- Snap-in ear cushions make replacement quick and easy.
- Multiple attenuation levels allow for targeted attenuation for a variety of applications.
- Telescopic height adjustment remains fixed during use.

Style	Details	Code
3	Leightning LOF - ultraslim folding earmuff SLC80 25dB Class4. Approved to AS/NZS 1270:2002. License number 1133.	6675
	Leightning LON - ultraslim neckband earmuff SLC80 25dB Class4. Approved to AS/NZS 1270:2002. License number 1133	6676
	Leightning L1 - headband earmuff SLC80 29dB Class5. Approved to AS/NZS 1270:2002. License number 1133.	6677
éé	Leightning L1H - helmet earmuff SLC80 28dB Class5. Approved to AS/NZS 1270:2002. License number 1133	6680
	Leightning L1N neckband earmuff SLC80 30dB Class5. Approved to AS/NZS 1270:2002. License number 1133.	6682
	Leightning L2 - headband earmuff SLC80 31dB Class5. Approved to AS/NZS 1270:2002. License number 1133.	6678
	Leightning L2F - folding earmuff SLC80 30dB Class5. Approved to AS/NZS 1270:2002. License number 1133.	6684
9	Leightning L2H - helmet earmuff SLC80 29dB Class5. Approved to AS/NZS 1270:2002. License number 1133	6681
	Leightning L2N neckband earmuff SLC80 31dB Class5. Approved to AS/NZS 1270:2002. License number 1133.	6683
	Leightning L3 - headband earmuff SLC80 33dB Class5. Approved to AS/NZS 1270:2002. License number 1133.	6679



#### **Thunder Noise Blocking Earmuffs**

- Dielectric construction suitable for all workplaces, especially electrical environments.
- Uniform headband pressure for all head sizes, providing better comfort for long-term wear.
- Inner-ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates [T2 and T3 only].

Style	Details	Code
	Thunder Hi-Visibility T2HV - headband earmuff SLC80 31dB Class5. Approved to AS/NZS 1270:2002. License number 1133.	10631
	Thunder T1 - headband earmuff SLC80 29dB Class5. Approved to AS/NZS 1270:2002. License number 1133	6691
	Thunder T1F - folding earmuff SLC80 30dB Class5. Approved to AS/NZS 1270:2002. License number 1133	6697
8	Thunder T1H - helmet earmuff SLC80 26dB Class5. Approved to AS/NZS 1270:2002. License number 1133.	6694
	Thunder T2 - headband earmuff SLC80 31dB Class5. Approved to AS/NZS 1270:2002. License number 1133.	6692
3	Thunder T2H - helmet earmuff SLC80 30dB Class5. Approved to AS/NZS 1270:2002. License number 1133.	6695
6	Thunder T3 - headband earmuff SLC80 33dB Class 5. Approved to AS/NZS 1270:2002. License number 1133	6693



#### Slimline Earmuffs & Accessories



#### Python® Slimline Hard Hat Earmuffs

- Class 5, SLC8031dB.
- Hi Vis for visual identification.
- Hearing protection for noise levels to 116dB(A).
- Robust steel wire construction for onsite demands.
- Contemporary low profile design that withstands abuse without compromising comfort.
- Fits a wide range of hard hats.
- Solid, lightweight ear cup construction.
- High quality ear cushions.
- Balanced clamping force for comfort.

Code

7385



#### **Python® Slimline Earmuffs**

- Class 5, SLC8031dB.
- Hi Vis for visual identification.
- High performance and strong durability through steel wire construction for maximum protection with easy adjustment system for individual fit.
- Hearing protection for noise levels to 116dB(A).
- Contemporary low profile design that withstands abuse without compromising comfort.
- Solid, lightweight ear cup construction.
- High quality ear cushions.
- · Padded foam headband.
- Robust wire construction.
- Low clamping force for comfort.

Code

5327



#### **Python® Slimline Neckband Earmuffs**

- Class 4, SLC8023dB.
- Hi Vis for visual identification.
- Comfortable neckband configuration for extended wear
- Hearing protection for noise levels to 108dB(A).
- Robust steel wire construction for on site demands.
- Contemporary low profile design that withstands abuse without compromising comfort.
- Solid, lightweight ear cup construction.
- High quality ear cushions.
- Balanced clamping force for comfort.

Code

#### Slimline Earmuffs & Accessories



#### **Viper® Earmuffs**

- Class 5, SLC8026dB.
- General purpose use.
- Hearing protection for noise levels to 110dB(A).
- Solid, lightweight ear cup construction.
- High quality ear cushions.
- Inner foam and headband cushions provides comfort during extended wear.
- Low clamping force applies minimum pressure while maintaining a tight, snug seal.
- Three position headband.
- Sold and Packaged Individually.
- Qty/Carton 25.

Code

10633



#### Cobra® Earmuffs

- Class 5, SLC8028dB.
- Hearing protection for noise levels to 110dB(A).
- Convenient fold away construction.
- Inner foam and headband cushions provide comfort during extended wear.
- Low clamping force applies minimum pressure while maintaining a tight, snug seal.
- High quality ear cushions.
- General purpose use.
- Sold and Packaged Individually.
- Qty/Carton 25.

Code

10854



#### **Python® Earmuffs**

- Class 5, SLC8031dB.
- High performance and strong durability for maximum protection.
- Hearing protection for noise levels to 116dB(A).
- Contemporary design withstands abuse without compromising comfort.
- Padded foam headband minimises pressure on the head.
- Steel wire provides a robust construction to withstand demanding use.
- Increased wearer comfort due to low clamping force.
- Solid, lightweight ear cup construction.
- High quality ear cushions.
- Sold and packaged individually.
- Qty/Carton 25.

Code



#### **Hearing Earplugs**



#### **ProPod<sup>™</sup> Uncorded Ear Plugs**

- Class 3, SLC<sub>80</sub> 18dB.
- Hands free of Pod Tip when inserting for better hygiene.
- Manoeuvrable stem design allows clean and precise insertion of plugs.
- High rebound foam for a more secure ear canal fit.
- Qty/Box 50 uncorded pairs.
- Qty/Carton 20 boxes.

Code

10846

#### ProPod™ Corded Ear Plugs

- Qty/Box 50 corded pairs.
- Qty/Carton 20 boxes.

Code

10848



#### ProBullet<sup>™</sup> Disposable Uncorded Earplugs

- Class 5, SLC<sub>80</sub>27dB.
- Disposable, PU foam.
- Hearing protection for noise levels to 110 dB(A).
- Pairs packaged in individual poly bags.
- Qty/Box 200 uncorded pairs.
- Qty/Carton 10 boxes.

Code

5753



#### **ProBullet™ Disposable Corded Earplugs**

- Qty/Box 100 corded pairs.
- Qty/Carton 10 boxes.

Code

10615



#### ProBullet<sup>™</sup> Refill Bag for Dispenser

- Qty/Bag 500 uncorded pairs.
- Qty/Carton 10 bags.

Code

6862



#### ProBell™ Refill Bag for Dispenser

- Qty/Bag 500 uncorded pairs.
- Qty/Carton 10 bags.

Code

# Hearing Protection Hearing Earplugs



#### **ProSil® Reusable Uncorded Earplugs**

- Class 3, SLC<sub>80</sub>18dB.
- Reusable silicone earplugs.
- Hearing protection for noise levels to 100 dB(A).
- Comes in resealable plastic case.
- Sold Individually.
- Qty/Box 50 uncorded pairs.
- Qty/Carton 10 boxes.

Code

10849



#### **ProSil® Reusable Corded Earplugs**

- Sold Individually.
- Qty/Box 50 corded pairs.
- Qty/Carton 10 boxes.

Code

10852



#### **ProBell™ Disposable Uncorded Earplugs**

- Class 5, SLC<sub>80</sub>27dB.
- Hearing protection for noise levels to 110dB(A).
- ProPlug Bell shape delivers maximum comfort.
- Brightly coloured offering high visibility for worker compliance.
- Superior design makes it easier to insert and reduces tendency to back out of the ear.
- Pairs packaged in individual poly bags.
- Qty/Box 200 uncorded pairs.
- Qty/Carton 10 boxes.

Code

10611



#### **ProBell™ Disposable Corded Earplugs**

- Qty/Box 100 corded pairs.
- Qty/Carton 10 boxes.

Code

10612



#### **Dispenser Station 500**

- Workplace dispenser holds 500 pairs of ProBullet<sup>™</sup> or ProBell<sup>™</sup> Disposable.
- Uncorded Earplugs.
- Dispenses one pair at a time.
- Comes with screws for optional wall mounting.
- Sold Individually / Qty/Carton 5.
- Earplugs sold separately.

Code



## Hearing Protection Hearing Earplugs





#### **ProBullet™Uncorded Earplugs - 50 Pack**

- Class 5, SLC8027dB.
- Disposable, PU foam.
- Hearing protection for noise levels to 110 dB(A).
- Qty/Tub 50 uncorded pairs.
- Qty/Carton 10 tubs.

Code

10870



#### **ProBand® Headband Earplugs**

- Class 2, SLC<sub>80</sub>14dB.
- Comfortable, convenient and lightweight headband.
- Hearing protection for noise levels to 95dB(A).
- Foam ear pads are disposable and not designed for re-use.
- Qty/Pack 1 complete set with bonus replacement earplug pads.
- Qty/Box 10 packs, Qty/Carton 10 boxes.
- Sold Individually.

Code







Hearing protection for noise levels to 95dB(A).

Foam ear pads are disposable and not designed for

Qty/Box - 50 pairs - Qty/Carton - 10 boxes.

Code

10872



#### **ProBand™ Fixed Headband Earplugs**

- Class 4, SLC<sub>80</sub>24dB.
- Disposable, PU foam pads. Hearing protection for noise levels up to 109dB.
- Provides wearer the highest level of protection for a headband earplug.
- Disposable PU foam pads are ergonomically designed to fit the ear for maximum protection.
- Sold individually , Pairs individually packaged.
- Qty/Pack 1 complete set plus bonus replacement earplug pads.

  Code
- Qty/Box 10 packs.
- Qty/Carton 10 boxes.

10873



#### ProBand<sup>™</sup> Fixed Replacement Earplug Pads

- Class 4, SLC8024dB / Disposable, PU foam pads.
- Hearing protection for noise levels up to 109dB.
- Disposable PU foam pads are ergonomically designed to fit the ear for maximum protection.
- Pairs individually packaged.
- Qty/Box 50 pairs Qty/Carton 10 boxes.

Code

## Hearing Protection Hearing Earplugs



#### Max Single-Use Earplug

- Highest attenuation in single-use earplugs.
- SLC80 26dB Class 5.
- Approved to AS/NZS 1270:2002.
- The world's most-used polyurethane foam earplug.
- Bell shape delivers maximum in-ear comfort.
- Contoured design easier to insert, resists tendency to back-out of ear canal.
- Polyurethane foam enhances comfort, especially for longterm wear.
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.
- Bulk refills for Leight Source 400 and Leight Source 500
   Earplug Dispensers save time, waste and space.

Product	Details	Code
P	Max-30 - corded Polycord, Individual poly bag Pairs Per Box: 100	6623
	Max- 1- uncorded Individual poly bag Pairs Per Box: 200	6622
- 13	Max- L-S4- uncorded bulk refill for Leight Source 400 Uncorded LS-400A Dispenser refill Pairs Per Box: 200	6625
	Max-1-D - uncorded bulk refill for Leight Source 500 Uncorded LS-500 Dispenser refill Pairs Per Box: 500	6624



#### **ProBell™ Metal Detectable Earplugs**

- Class 5, SLC8027dB.
- Disposable, PU foam.
- Hearing protection for noise levels to 110dB(A).
- Internal metal ball and blue colour are easily detected by visual and automated inspections.
- Blue metallised poly cord prevents earplugs from falling into sensitive production lines and is fully detectable should the plug become separated from the cord.
- Superior design makes it easier to insert and reduces tendency to back out of the ear.
- Pairs packaged in individual poly bags.
- Qty/Box 100 corded pairs.
- Qty/Carton 10 boxes.

**Code** 10875



# Hearing Protection Hearing Earplugs



#### Max Lite Single-Use Earplug

- Comfort for smaller ear canals.
- Low pressure polyurethane foam expands gently for comfortable long-term wear.
- Approved to AS/NZS 1270:2002.
- SLC80 25dB Class 4.

Product	<b>Details</b>	Code
Q	Max Lite LPF-30 - corded Polycord, Individual poly bag Pairs Per Box: 100	6632
1-	Max Lite LPF-1- uncorded Uncorded, Individual poly bag Pairs Per Box: 200	6631
	Max Lite LPF-L-S4 - uncorded bulk refill for Leight Source 400 Uncorded LS-400A refil Pairs Per Box: 200	6634
1	Max Lite LPF-1-D - uncorded bulk refill for Leight Source 500 Uncorded LS-500 refill Pairs Per Box: 500	6633



#### AirSoft Multiple-Use Earplug

- Advanced air pocket design features internal noise-blocking fins.
- Four-flange profile creates better seal in the ear canal.
- Less pressure in the ear canal eliminates that "plugged up" feeling.
- Rounded flanges, tapered shape fits better in the ear canal.
- Outstanding noise-blocking protection.
- SLC80 26dB Class 5.
- Approved to AS/NZS 1270:2002.

Product	Details	Code
6	AirSoft AS-30R Red polycord Pairs Per Box: 50	6663
1	AirSoft AS-1 Uncorded Pairs Per Box:50	6661

## **Hearing Protection Hearing Earplugs**





#### X-Treme

- Tapered design for comfort, protection.
- SLC80 26dB Class 5.
- Approved to AS/NZS 1270:2002.

	Product	Code
	XTR-1 Uncorded, Individual poly bag Pairs Per Box: 200	6627
R	XTR-30 Polycord, Individual poly bag Pairs Per Box: 100	6628
	XTR-LS4-REFILL Uncorded LS-400A refill Pairs Per Box: 200	6630



#### **Leight Source 500**

- Permanent, mounted earplug dispenser.
- Heavy-duty anodized aluminium withstands constant use.
- Mount on wall for easy access.
- Crank handle to dispense earplugs.
- Ideal for large factories and process industries.
- Holds 500 pairs of Howard Leight earplugs: Max, Max Lite, Laser Lite, Multi Max, Matrix and Quiet.

Code
6674



#### **Leight Source 400**

- Versatile, portable earplug dispenser.
- Durable plastic design is an economical choice for dispensing earplugs.
- Mounts to wall or stands as table-top dispenser with balanced footing / Twist knob to dispense earplugs.
- Catch basin prevents earplugs from falling to the ground.
- Holds 400 pairs of Howard Leight Single-Use earplugs: Max, Max Lite, Laser Lite, Multi Max, Matrix, FirmFit.



## Breathing & Respiratory

## Half and Full Mask Respirators & Accessories



#### Maxi Mask 2000™ Half Mask Respirator

- Fully adjustable four point cradle suspension ensuring an effective facial fit.
- Contour moulded nose for fit with glasses and goggles.
- Low resistance exhalation valve to reduce heat and moisture build up.
- Able to be worn under most welding helmets.
- Quick and easy filter cartridge connection.

Code

8628



#### **Silicone Half Mask Respirator**

- Silicone provides superior comfort, fit and seal.
- Fully adjustable four point cradle suspension ensuring an effective facial fit.
- Low resistance exhalation valve to reduce heat and moisture build up.
- Able to be worn under most welding helmets.
- Quick and easy filter cartridge connection.

Code

8875



## Assembled Silicone Mask and Press To Check™ Cartridges

- Soft and durable silicone for an airtight and secure seal.
- Enhanced bolstered four point cradle suspension for improved load bearing.
- Co-moulded cartridge dock for easy on/off cartridge connection.
- Press To CheckTM filters are a revolutionary filter cartridge system that allows.
- Low resistance exhalation valve to reduce heat and moisture build up.

Code



#### **Press To CheckTM P3 Cartridges**

- Press To CheckTM filters are a revolutionary filter cartridge system that allows you to self-assess the seal of your mask.
- They are a personal fit test system that can be administered anytime and anywhere.
- Qty/Box 1 pair.

Code

10636



#### P2 Cartridge

- For use on the Maxi Mask 2000<sup>™</sup>.
- P2 cartridges protects against mechanical and thermally generated particles.
- Easy 'Lock-on system' to ProChoice Maxi Mask 2000.
- Comes complete with a P2 ProChoice Filter and retainer caps.
- Qty/Box 1 Pair.
- Qty/Carton 50 Pairs.

Code

6740



#### A1P2 Cartridges to suit HMTPM

- For use on the Maxi Mask 2000™.
- A1P2 cartridges for gas/vapour and combination particulate/ gas/vapour cartridge.
- Easy 'lock-on' system to ProChoice Maxi Mask 2000.
- Comes complete with a P2 ProChoice Filter and retainer caps.
- Qty/Box 1 Pairt
- Qty/Carton 25 Pairs.

Code

10637



#### **PreFilter Retainer Caps**

- For use with ProFilter and ProCartridgest.
- Qty/Carton 200 Pairst.
- Qty/Box 1 Pair.

Code







#### **ABEK1 Cartridges**

- For use on the Maxi Mask 2000™.
- Low profile design for complete vision.
- Protects against a wide range of chemicals including.
- Organic Vapour, Acid Gas, Sulphur and Ammonia.
- Can be fitted with the P2 ProChoice Filter Pads to provide extra protection against dust/mist particles.
- Easy lock on system to ProChoice Maxi Mask 2000.
- Qty/Box 1 Pair.
- Qty/Carton 25 Pairs.

Code

10638



#### **ProFilter P2 Prefilter to suit ProCartridges**

- For use with ProCartridge.
- P2 cartridges protects against mechanical and thermally generated particles.
- Lightweight pads fit inside ProCartridge gas cartridge easy replacement system.
- Qty/Box 20.
- Qty/Carton 50 Boxes.

Code





#### **Tradie's and Painter's Kit - Blister Pack**

- Kit Contains: 1 x HMTPM, 1 x pair of PCA1P2.
- Sold Individually.
- Qty/Carton 24.

Code

6158





#### **Chemical Kit - Blister Pack**

- Kit Contains: 1 x HMTPM, 1 x pair PCABEK1.
- Sold Individually.
- Qty/Carton 24.

Code

10641





#### Tra

•

•



#### cket

of PCA1P2 and 1 x

Code

8993







#### **Chemical Kit - Bucket**

- Kit Contains: 1 x HMTPM, 1 x pair of PCABEK1 and 1 x storage bucket.
- Sold Individually.

Code





#### **Honeywell Lunchbox Spray Kit A1P2**

- Half mask spray kit is the economical choice for spray painters and agricultural sprayers requiring respiratory protection from organic vapours and particulates.
- The kit comes complete with half mask, A2 rated filters, P2 rated pre filters and retainers plus two mask cleaning wipes.

Code

10731



#### **Honeywell Lunchbox Welders Kit P2**

- Half mask welders kit is the economical choice for welders requiring respiratory protection from welding fumes.
- The kit comes complete with half mask and P2 rated pancake filters with nuisance Organic Vapour protection, plus 2 mask cleaning wipes.

Code

10732



#### **STS Full Face Mask**

- 6 point harness to comfortably fit wearer.
- Ultra light weighing approx. 335g.
- Superior spherical lens eyepiece, with anti scratch coating, eliminates distortion and provides clear visibility.
- Speech diaphragm for improved communication.
- Metal free.
- (Filters sold separately).
- Sizes: M and L.

Code

1147



#### **STS Half Face Mask**

- Comfortable surface designed to avoid becoming sticky under heavy sweat conditions.
- Easy adjustment straps that buckle on the back of the neck.
- Slim shape with inhalation and exhalation valve mechanisms embedded in the face piece.
- Filters sold separately.

Code

## STS Gas Cartridges

Filter	Details	Code
AL ELE	CA-C1 Gas Cartridges - Suits STS respirators , Application: Organic gases and vapours (boiling point above 65C) in concentrations below 1000ml/m3 , Can be used in conjunction with P2RC or P3RC particle filters.	2657
DES CA AL	CA-A2 Gas Cartridges - Suits STS respirators, Application: Organic gases and vapours (boiling point above 65C) in concentrations below 5000ml/m3, Can be used in conjunction with P2RC or P3RC particle filters.	10833
	CA-ABEK1 Gas Cartidges - Suits STS respirators, Application: can be used in conjunction with P2RC or P3RC particle filters.	10835
	CA-AX Gas Cartridges - Suits STS respirators, Application: Low boiling solvents (boiling point below 65C), Can be used in conjunction with P2RC and P3RC particle filters.	10834
N I ZEAR	CA-K1 Gas Cartridges - Suits STS respirators, Application: Ammonia and organic ammonia derivatives in concentrations below 1000ml/m3, Can be used in conjunction with P2RC and P3RC particle filters.	10837

#### **Particle Filters**

Filter	Details	Code
and and	P2R Particle Filter - Clips directly onto STS Respirator Masks , Max Filter penetration 0.6%, Meets standards: AS/NZS 1716, EN14387, EN143.	10845
E10	P2RC Particle Pre-Filter - Clips onto STS Gas Cartridges, Max Filter penetration 0.6%, Meets standards: AS/NZS 1716, EN14387, EN143.	3040
era le	P3R Particle Filter - Clips directly onto STS Respirator Masks, Max Filter penetration 0.05%, Meets standards: AS/NZS 1716, EN14387, EN143.	10847
EFB SFB	P3RC Particle Pre-Filter - Clips onto STS Gas Cartridges, Max Filter penetration 0.05%, Meets standards: AS/NZS 1716, EN14387, EN143.	10853





#### **Respirator P1**

or protection rticles. d comfortable

uring masks remain

e fit and better seal.

Code

8751



#### **Respirator P1 with Valve**

- P1 rating indicates suitable for protection against mechanically generated particles.

  ProValve for increased exhalation efficiency and
- comfort, reduces heat build up under mask.
- Colour coded e halation valve and packaging for easy identification.
- Latex free dual straps give firm and comfortable
- Resealable poly bag ensuring masks remain hygienically stored.
- Moulded nose piece for close fit and better seal.
- Qty/Box 12.
- Qty/Carton 20 Boxes.

Code

8752



#### **Respirator P2**

Pί th

Lá






chan

d cor

ınask


fit and bet

Code





ORK



- Latex free dual straps give firm and comfortable fit.
- Resealable poly bag ensuring masks remain hygienically stored.
- Moulded nose piece for close fit and better seal.
- Qty/Box 12.

**Respirator** |

Qty/Carton - 20 Boxes.

Code

8754



#### **Respirator P2 with Valve and Active Carbon Filter**

- Protects against nuisance-level organic vapours in addition to P2 rating.
- ProValve for increased exhalation efficiency and comfort, reduces heat build up under mask.
- Colour coded exhalation valve and packaging.
- Latex free dual straps give firm and comfortable
- Resealable poly bag ensuring masks remain hygienically stored.
- Moulded nose piece for close fit and better seal.
- Qty/Box 12.
- Qty/Carton 20 Boxes.

Code

8755



#### Non Toyic Dust Mask





C Q Q



moulded to



Code







## **Disposable Respirators**



## FilterSpecTMPRO P2 Replacement Mask with Carbon Filter

- Protects against nuisance-level organic vapours in addition to P2 rating.
- Moulded nose piece for close fit and better seal.
- QuickLock straps for easy fit and release.
- ProValve for increased exhalation efficiency and comfort - reduces heat build up under mask.
- Qty/Box 10.
- Qty/Carton 20 Boxes.

Code

10643



#### **ProMesh® Respirator P2 with Valve**

- Flexible mesh which ensures optimum shape retention for a perfect, airtight fit during long periods of wear.
- P2 rating protects against mechanically and thermally generated particles.
- Moulded nose piece for close fit.
- QuickLock straps for easy fit and release.
- ProValve for increased exhalation efficiency and comfort - reduces heat build up under mask.
- Resealable poly bag ensuring masks remain hygienically stored.
- Also available in 3 Pack.

Code



## Welding Apparel



#### **Fusion Chrome Leather Cable Cover**

- 10cm wide x 3.5m long.
- Velcro closure.
- Sewn with DuPont Kevlar.

Code

11299



#### **Fusion Chrome Leather Kneepads**

- Elastic Straps, Kevlar Stitched. One Size Fits All.
- Quality cow split-leather.
- Sewn with DuPont Kevlar.
- Elastic with Velcro closure.

Code

11300



#### **Fusion Chrome Leather Welders Apron**

- Kevlar Stitched, Sizes L, (90 x 60cm), XL (100 x 80cm).
- High quality cow split leather.
- Chest pocket new feature.
- Sewn with DuPont Kevlar.
- Adjustable neck and waist webbing straps with quick release buckles.

Code

11301



#### **Fusion Chrome Leather Welders Jacket**

- Triple Front Flap, Kevlar Stitching.
- High quality red cow-split leather jacket.
- Kevlar stitched to increase resistance to heat, cuts & abrasion.
- Reinforced double leather front closure.
- Insulated snaps & Velcro front.
- Inside & outside pockets.
- Adjustable cuff.
- FR cotton roll-up collar.
- Sizes: L, XL, 2XL, 3XL.

Code



#### **Welding Apparel**



#### **Fusion Chrome Leather Welders Spats**

- Velcro Fastening, Kevlar Stitched. One Size Fits All.
- Sewn with DuPont Kevlar.
- Velcro back closure.
- Strap under foot.
- Protects footwear.

Code

11303



#### **Fusion Chrome Leather Welding Blanket**

- Velcro Fastening, Kevlar Stitched. One Size Fits All.
- Sewn with DuPont Kevlar.
- Velcro back closure.
- Strap under foot.
- Protects footwear.

Code

11304



#### **Fusion Fire Retardant Hood**

- Breathable mesh liner. One size fits all.
- Fire retardant cotton drill fabric with mesh liner for enhanced breathability.
- Velcro front closure.
- Helmet harness connector tabs.

Code

11305

## Knee Pads



#### **KNEEPRO Ultra Flex III**

- Incredibly tough flexible outer shell is chemical resistant - withstands extreme cold and heat.
- Non-Marking grip strip grips on most surfaces.
- Extended face greatly increases comfort especially for extended kneeling. Hinged with metal rivet so it moves like your knee and stays in place.
- 5/8 inch closed cell inner foam pad offers the ultimate in comfort will not absorb moisture. Soft elastic woven strap coupled with our Speed Clip allows for easy on and off and easy adjustment while pad is attached.
- Placement of straps will not bind behind knee.

Code

## Hazard Tapes

## Safety Tapes and Safety Tags



#### **Barricade Tape**

- 100 metre roll x 75 mm width.
- Heavy duty plastic.
- Sold individually.
- Qty/Carton 20.
- Colours: Red / White and Yellow/Black.

Colour	Code
Yellow/ Black	7911
Red/White	7912



#### **Barricade Tape: Danger - Do Not Enter**

- 100 metre roll x 75 mm width.
- Heavy duty plastic.
- Sold individually.
- Qty/Carton 20.

Code	
7909	



#### **Barricade Tape: Danger**

- 100 metre roll x 75 mm width.
- Heavy duty plastic.
- Sold individually.
- Qty/Carton 20.

Code

7908





#### **Barricade Tape: Caution**



• Qty/Carton – 20.

**Code** 7910





- 300 metre roll x 75 mm width.
- Heavy distic
- Sold individually.
- Qty/Carton 20.

Code





## **Hazard Tapes**



DANGER KEEP

#### **Esko Caution Tape 250m**

- Roll size: 75mm x 250m.
- High quality polythene.
- Black on Yellow "CAUTION".

Sold individually.

Code

ty 5 per pack.

11360



oll size: 75mm x 250m. ligh quality polythene.

ed on white "DANGER KEEP OUT".

old individually. ty: 5 per pack.

Code

11361





old individually. ty/Carton – 20.



Code

6180



#### Slip Grip Tape: Yello

3 metro roll × 50 mm width elf a l paper gri et a

old individually. ty/Carton - 10.

o adhere to concrete an

Code

6179



metre roll x 50 mm width lective, self adhesive hea d individually. y/Carton - 10.



#### ck/Yellow





#### ective Barricade Tap



#### I/White

plastic.

Code







## Tags



#### **Safety Tags - Red Danger**

- 125mm x 75mm.
- Non tear/all weather.
- Qty/Pack 100 Tags.
- Qty/Carton 50 Packs.

Code

7228



#### **Safety Tags - Yellow Caution**

- 125mm x 75mm.
- Non tear/all weather.
- Qty/Pack 100 Tags.
- Qty/Carton 50 Packs.

Code

10722



#### **Safety Tags - Information**

- 125mm x 75mm.
- Non tear/all weather.
- Qty/Pack 100 Tags.
- Qty/Carton 50 Packs.

Code

## Lock Out Products



## Road, Site & Traffic Safety

## **Cones, Chain & Delineators**



#### **Traffic Cone 450MM Reflectorised**

- Traffic Cone 450mm Reflectorised.
- High quality orange PVC.
- 450mm height.
- Base 270mm x 270mm.
- High intensity reflective tape.

Code

5932



#### **Traffic Cone 700MM Reflectorised**

- High quality orange PVC.
- 700mm height.
- Base 354mm x 354mm.
- High intensity reflective tape.

Code

10723



#### **Traffic Cone 900MM Reflectorised**

- AS/NZS 1906.1.2007 Compliant.
- Large studded base for extra stability.
- Each cone weighs 5kg unballasted.
- Dual reflective bands.
- Manufactured from UV stable materials.
- Contains no regrind material.
- Corporate branding options available.
- Manufactured in the "Nikki Plastics" Wanganui road cone factory in New Zealand.
- 135 road cones per pallet.
- Freight free on pallet quantity breaks.

Code







## Road, Site & Traffic Safety

#### **Cones, Chain & Delineators**



#### **Traffic Cone 450MM**

- 450mm Non-Reflectorised.
- High quality orange PVC.
- 450mm height.
- Base 270mm x 270mm.

Code

10724



#### **Traffic Cone 700MM**

- 700mm Non-Reflectorised.
- High quality orange PVC.
- 700mm height.
- Base 354mm x 354mm.

Code

10725



#### **Collapsible Cone 700MM**

- 700mm Twin Reflectorised Collapsible Traffic Cone.
- Internal LED beacon illuminates entire cone.
- Heavy duty rubber base.
- Includes zipped carry bag.
- Supplied with battery pack in base.

Code

8654



#### **Collapsible Cone 900MM**

- Internal LED beacon illuminates entire cone.
- Heavy duty rubber base 4.5kg.
- Includes zipped carry bag.
- Supplied with battery pack in base.

Code



## Road, Site & Traffic Safety

#### **Cones, Chain & Delineators**



#### **Extendable Cone Barrier Bar**

- Extendable Cone Barrier Bar 1.2-2.1m.
- High quality PVC.
- Twist lock feature.
- Reflective yellow bands.
- Will fit any cone size.
- Retractable = 1200, extendable = 2100.

Code

6151



#### **T-Top Bollard Delineator**

- Hi-Vis T-Top Bollard Delineator With Reflective Band.
- High quality PE bollard.
- 6kg rubber base.
- High intensity reflective tape.
- Exceeds NZTA road safety compliance requirements.

Code

10865



#### **Orange Barrier Mesh Fencing**

- 1 metre high x 50 metre roll.
- Weight of 8kg per roll.
- Provides excellent visibility for hazardous areas.
- Sold individually.
- Qty/Bag 3.

Code

6156



#### Indoor Extendable Barricade

- Conertina-type Barricade.
- Height 960mm, length expands from 0.35m to 2.5m when fully extended.
- Reflective tape on cross pieces for night safety.
- Temporary traffic control.
- Restrict personnel from hazardous areas.
- · Weighs only 8kg.

Code

# **Cones, Chain & Delineators**




# Transportation & Transit Flags

- Heavy duty materials.
- Long lasting and durable.
- Many types available.



2441





# **Road Cone and Cone Bar**

# **Road Cone**

- AS/NZS 1906.1.2007 Compliant.
- Large studded base for extr
- Each cone weighs 5k unballa
- Dual reflective bands.
- Manufactured from UV stab
- Contains no regrind materia
- Corporate branding options

# **Cone Bar**

• 1.3m - 2.2m retractable.



Rodu Cories and Rodu Bars	Code
Orange Road Cone	7853
Cone Bar - H/D PVC Barrier 1.3m - 2.2m retractable	10868
PVC Drawstring Bag for 20x Cone Bars	10869



# **Cones, Chain & Delineators**



# **Bunting**

- Hi-vis is fluoro PVC triangle flags.
- 30 metre length.
- Reusable high strength nylon rope.
- 45 flags.
- ProAides excellent visibility for hazardous areas.
- Sold individually.
- Qty/Carton 25.
- Also available Green BUN30GN.

Code

6173



# **Bunting Day/Night**

- Hi Vis fluoro PVC triangle flags.
- 30 metre length.
- Reusable high strength nylon rope.
- 45 flags / 44 reflective tabs.
- Provides excellent visibility for hazardous areas.
- Sold individually.
- Qty/Carton 15.

Code

6148



# **Safety Chain Red/White**

- 8mm UV stabilised.
- 25 metre roll.
- Provides excellent visibility for hazardous areas.
- Sold individually.
- Qty/Carton 4.

Code

6129



# **Safety Chain Yellow**

- 8mm UV stabilised.
- 25 metre roll.
- Provides excellent visibility for hazardous areas.
- · Sold individually.
- Qty/Carton 4.

Code

6128



# **Document Storage**

• Dangerous Goods Document Satchel 30 x 34cm.

Code

# **Cones, Chain & Delineators**



# **Quality Safety Cone Topper with Sign**

- Hi-viz traffic cone topper creates awareness and cautions those in or around an active work area.
- Traffic cone sold separately.

Code

8643

# **Vehicle Flashing Lights**



# **Meteor Led Minibar, 2 Bolt Permanent Mount**

- High Performance LED Mini Lightbar.
- Excellent light output from 42 x 3W high power LEDs.
- Clear visibility even in daylight.
- ECE RBS approved.
- 8 selectable flash patterns.
- Magnetic mount has strong magnet and suction cup for double security.
- Waterproof rated IP65.
- -30° to +50° temperature reliability.
- Reverse polarity protection.
- Voltage: 12-24V.

Code

10855

# Meteor Led Minibar, Magnetic Mount



- High Performance LED Mini Lightbar, Vacuum Magnetic Mount.
- Excellent light output from 42 x 3W high power LEDs.
- Clear visibility even in daylight.
- ECE RBS approved.
- 8 selectable flash patterns.
- Magnetic mount has strong magnet and suction cup for double security.
- Waterproof rated IP65.
- -30 ° to +50 ° temperature reliability.
- Reverse polarity protection.
- Voltage: 12-24V.

Code



# Road, Site & Traffic Safety Vehicle Flashing Lights



# Altiflash High Performance Led Beacon, 3-Bolt Mount

- Excellent light output from 12 x 3W high power LEDs coupled with high intensity reflector.
- Clear visibility even in daylight.
- Waterproof rated IP67.
- Shatterproof polycarbonate dome.
- Available in 3-bolt, Magnetic or Flexi-pole mounting versions.
- 3 selectable flash patterns -rotating (default), flash, double flash.
- Includes mounting gasket and bolts.
- Voltage: 12-24V.

Code

10858



# Altiflash High Performance Led Beacon, Magnetic Mount

- Excellent light output from 12 x 3W high power LEDs coupled with high intensity reflector.
- Clear visibility even in daylight.
- Waterproof rated IP67.
- Shatterproof polycarbonate dome.
- Available in 3-bolt, Magnetic or Flexi-pole mounting versions.
- 3 selectable flash patterns -rotating (default), flash, double flash.
- Includes mounting gasket and bolts.
- Voltage: 12-24V.

Code

10859



# **Pulsar Rotating Flexi Pole**

- Flexible rubber base, vibration-proof. Standard ISO A mounting.
- Shatterproof polycarbonate dome, screw in mount.
- Worm gear drive, durable and long lasting.
- Metallized steel reflector with balance counterweight.
- Magnetic mounting option has rubber suction cup to protect paint work
- Radio interference filter according to DIR. 95/54/CE.
- 12V only.
- Size: 142mm (dia) X 235mm (h).

Code

# **Vehicle Flashing Lights**



# **Pulsar Rotating Magnetic**

- 12V or 24V option available.
- Fibreglass reinforced nylon base.
- Shatterproof polycarbonate dome, screw in mount.
- Worm gear drive, durable and long lasting.
- Metallized steel reflector with balance counterweight.
- Magnetic mounting option has rubber suction cup to protect paint work.
- Radio interference filter according to DIR. 95/54/CE.

Code

10861



# Altiflash Led High Performance Beacon, Flexi-Pole Mount

- Excellent light output from 12 x 3W high power LEDs coupled with high intensity reflector.
- Clear visibility even in daylight.
- Voltage: 12-24V.
- Waterproof rated IP67.
- Shatterproof polycarbonate dome.
- Includes mounting gasket and bolts.

Code

10862



# **Esko Led Battery Lamp**

- LED Twin Battery Hazard Lamp, 2 x 6v.
- Low current consumption 3600hrs battery life.
- Corrosion resistant steel bracket for quick, secure fastening.
- Flash rate 60FPM.
- Photocell light sensor switch.
- Daytime on/off indicator light.
- Includes security key.

Code

10863



# **Warning Triangle**

• Road Side Foldable Warning Triangle for Vehicles.



Code







- Low in Sugar
- Gluten Free
- Caffeine Free
- Proprietary Electrolyte Formula inc. magnesium
- Essential Amino Acids inc. L-Glutamine
- Vitamins
- Hypotonic

# **Electrolytes and THORZT**

- THORZT has been scientifically formulated to meet the hydration needs of a hard working body in extreme working conditions.
- Replacing measured proportions of electrolytes, essential minerals, carbohydrates, amino acids and other nutrients.
- THORZT is designed for sustained hydration.
- THORZT is a pleasant tasting, low sugar, caffeine-free, worker-tested drink, that re-establishes the correct electrolyte -fluid balance for optimum worker performance.
- A common result of strenuous physical activity is magnesium loss. According to research, a
  deficiency in magnesium may reduce physical performance and capacity as well as contribute to
  muscle cramps and weakness. Magnesium has earned the nickname "The Forgotten Electrolyte" as
  many so-called "sports drinks" neglect to include Magnesium in their ingredients.
- THORZT is different! THORZT has been developed for sustained hydration on site, so Magnesium
- is an essential ingredient in THORZT included to promote endurance in extreme conditions.

# **Low GI Powders**
















- Solo Shot Sc
- 26g Solo Shots
- CTN QTY: 10 Se
- Add sachet to c and thirst quen
- 3 Flavour mixed pack only.



Code

# **Low GI CONCENTRATES**





















3516


Code

Shot-Load (Liquid Concentrate).

able (LPD).

# **Cooling ties**









Product	Code
CSB - Blue	11214



# **Hydration Concentrates**





Low in Sugar.

















- 3g Solo Shot Sachet
- CTN QTY: 10 Solo S
- Add sachet to drink system.
- Single flavour packs available CODE: SSSF+ Flavour.





t quenching dispenser

Code

# **Thorzt Cooler Range**

- BPA free for safe storage of consumables.
- Polyurethane insulation.
- Impact resistant exterior.





# 800ml Drink Bottle

• Drink level side window.





# 2 Litre THORZT Cooler

Convenient Sippa Spout on lid.

• High quality drip minimising push button tap.







DC05+Colour





# **5 Litre THORZT Cooler** Convenient Sippa Spout on lid.

- High quality drip minimising push button tap.
- Detachable cup 400ml.
- Extra large wide port opening, great for filling with ice and cleaning.





# 12 Litre THORZT Cooler

Fixed handles for superior grip.

• Drip minimising lever tap for easy pouring.









20 Litre THORZT Cooler

Fixed handles for superior grip.

- Drip minimising screw tap for easy pouring.
- Screw top lid.

# **40 Litre THORZT Cooler**

- Fixed handles for superior grip.
- Drip minimising lever tap for easy pouring.

Code



# Signage

# How to order your signs

We've made it simple for you to find and order the signs that you need. Just go to the design range pages (use the contents table or the page-corner icons to quickly find the right range) and pick one of the size & material options shown for that sign!

Our standard sizes are chosen to suit the majority of safety sign situations. They are a little over A3 and A4 paper sizes, making them a bit bigger than many competitors' standard sizes.



Our design team ensure that these differences make the signs eye catching, clear and legible at all sizes, because a sign that can't be seen and read is no use at all.

# How to order your signs

What do the codes mean?

The codes show which size & material combinations the design is available in:



### Sizes:

- Α 120mm x 120mm 180mm x 180mm C 240mm x 240mm D 250mm x 250mm 340mm x 120mm 340mm x 240mm (or 240 x 340) G 450mm x 180mm
- 450mm x 300mm (or 300 x 450) 200mm x 400mm

## **Materials:**

н

- Screenprinted on PVC Board 1
- 2 Screenprinted Blanck c/w Vinyl Text & Details on PVC Board
- 3 Full Vinyl Decal on PVC Board (With Drilled Screw Holes)
- Full Vinyl Decal on PVC Board (No Drilled Screw Holes) 4
- Full Vinyl Decal on PVC Board (No Holes, with Double Sided Tape) 5
- Full Vinyl Decal on Aluminium Board
- 7 Full Vinyl Decal on Coreflute
- Self Adhesive Vinyl Sticker
- Full Vinyl Decal on Magnetic Backing

Of course, not every combination is available for every design, so each illustration is accompanied by a series of codes to show you exactly what we produce as 'standard' for the sign.



You don't need to remember all this, we've put the details at the bottom of all the pages for easy reference!

## **SIZE CODES**

- A 120mm x 120mm
- **B** 180mm x 180mm
- C 240mm x 240mm
- D 250mm x 250mm
- **E** 340mm x 120mm
- F 340mm x 240mm (or 240 x 340)
- G 450mm x 180mm
- H 450mm x 300mm (or 300 x 450)
- I 200mm x 400mm



# **Danger Signs**



**QSI3616**  $F^{1}F^{3}F^{5}5^{6}7^{5}8$  $H^1H^3H^4H^5H^6H^7H^8$ 



**QSI 3452** E<sup>1</sup> E<sup>3</sup> E<sup>4</sup> E<sup>5</sup> E<sup>6</sup> E<sup>7</sup> E<sup>8</sup>  $G^1 G^3 G^4 G^5 G^6 G^7 G^8$ 



F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>1</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>




**QSI 3617** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>



**QSI 3637**  $F^1 F^3 F^4 F^5 F^6 F^7 F^8$ H<sup>1</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>




H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



DANGER KEEP CLEAR OF MOVING MACHINERY

**QSI 3610**  $F^1 F^3 F^4 F^5 F^6 F^7 F^8$ 



**QSI3619** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>1</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>




**QSI3436** E<sup>1</sup>E<sup>3</sup> E<sup>4</sup> E<sup>5</sup> E<sup>6</sup> E<sup>7</sup> E<sup>8</sup>  $G^1 G^3 G^4 G^5 G^6 G^7 G^8$ 



H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

## **SIZE CODES**

- A 120mm x 120mm
- 180mm x 180mm
- C 240mm x 240mm
- D 250mm x 250mm
- 340mm x 120mm
- F 340mm x 240mm (or 240 x 340)
- G 450mm x 180mm
- H 450mm x 300mm (or 300 x 450)
- 1 200mm x 400mm









. . . . . . . . . . . . .





QSI 3614 **□1 □3 □4 □5 □6 □7 □8** 



H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>









**C1 C3 C4 C5 C6 C7 C8** 



F2 F3 F4 F3 F6 F7 F8 H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



PERSONNEL UNLT 



## **SIZE CODES**

- A 120mm x 120mm
- 180mm x 180mm
- C 240mm x 240mm
- D 250mm x 250mm
- 340mm x 120mm
- F 340mm x 240mm (or 240 x 340)
- **G** 450mm x 180mm
- H 450mm x 300mm (or 300 x 450)
- I 200mm x 400mm





F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>



### **QSI 3635**

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# **QSI 3901**

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



## **QSI 3774**

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>



## **QSI 3603**

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



## QSI 3902

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# **QSI 3773**

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



## **QSI 3544**

E<sup>1</sup> E<sup>3</sup> E<sup>4</sup> E<sup>5</sup> E<sup>6</sup> E<sup>7</sup> E<sup>8</sup>  $G^{3}G^{4}G^{5}G^{6}G^{7}G^{8}$ 



## **QSI 3527**

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



\_\_QSL3609\_\_

H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



QSI 3632

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>1</sup> H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI 3621** 

-1 F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

# **MATERIALS CODES**

- A Screenprinted on PVC
- B Screenprinted Blank c/w Vinyl Text on PVC E
- C Vinyl on PVC (With Screw holes)
- D Vinyl on PVC (No Screw Holes)
- Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
- F Vinyl on Aluminium board
- G Vinyl on Coreflute
- H S/A Vinyl Sticker
- I Vinyl on Magnetic



F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



## QSI 3636

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# — QSI 3633

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



## **QSI 3900**

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



## QSI 3624

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# **QSI 3618**

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>
H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# QSI 3546

 $E^{1}E^{3}E^{4}E^{5}E^{6}E^{7}E^{8}$  $G^{3}G^{4}G^{5}G^{6}G^{7}G^{8}$ 



## QSI 3601

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# - \_\_\_\_QSI3604\_\_\_\_

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# QSI 3625

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>
H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# QSI 3622

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>
H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# QSL3599\_\_\_

H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

SIZE CODES

A 120mm x 120mm

**B** 180mm x 180mm

D 250mm x 250mm


**E** 340mm x 120mm

F 340mm x 240mm (or 240 x 340)

**G** 450mm x 180mm


H 450mm x 300mm (or 300 x 450)

1 200mm x 400mm











H<sup>1</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



SMOKING.



# **QSI3606**

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>2</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>







QSI 3914  $F^2$ 





## **MATERIALS CODES**

- A Screenprinted on PVC
- **B** Screenprinted Blank c/w Vinyl Text on PVC **E** Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
- C Vinyl on PVC (With Screw holes)
- D Vinyl on PVC (No Screw Holes)
- F Vinyl on Aluminium board
- G Vinyl on Coreflute
- H S/A Vinyl Sticker
- I Vinyl on Magnetic





**QSI 3434** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>









**QSI 3415**F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>







**QSI 3437** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI 3462** G<sup>1</sup> G<sup>3</sup> G<sup>4</sup> G<sup>5</sup> G<sup>6</sup> G<sup>7</sup> G<sup>8</sup>



## SIZE CODES

- A 120mm x 120mm
- **B** 180mm x 180mm
- C 240mm x 240mm
- D 250mm x 250mm
- E 340mm x 120mm

- **F** 340mm x 240mm (or 240 x 340)
- G 450mm x 180mm
- H 450mm x 300mm (or 300 x 450)
- l 200mm x 400mm







# **DUST MASK** MUST BE WORN

MUST BE WORN

# **QSI 3484**

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# **FACE SHIELD** MUST BE WORN

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# WORKSHOP **QSI 3898**

F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>1</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# **QSI 3464**

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# **FOOTBATH** MUST BE USED

# QSI 3750

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# MUST BE WORN

QSI 3483 ---F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>

H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# **QSI 3486**

G1 G3 G4 G5 G6 G7 G8



# **QSI3487** $G^1 G^3 G^4 G^5 G^6 G^7 G^8$



# MUST BE WORN QSI 3481 ---

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

## **MATERIALS CODES**

- A Screenprinted on PVC
- **B** Screenprinted Blank c/w Vinyl Text on PVC **E** Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
- C Vinyl on PVC (With Screw holes)
- D Vinyl on PVC (No Screw Holes)
- F Vinyl on Aluminium board
- **G** Vinyl on Coreflute
- H S/A Vinyl Sticker
- I Vinyl on Magnetic

# **Mandatory Signs**



**QSI 3492** G<sup>1</sup> G<sup>3</sup> G<sup>4</sup> G<sup>5</sup> G<sup>6</sup> G<sup>7</sup> G<sup>8</sup>



**QSI 3478** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI 3488** G<sup>1</sup> G<sup>3</sup> G<sup>4</sup> G<sup>5</sup> G<sup>6</sup> G<sup>7</sup> G<sup>8</sup>



**QSI 3749**F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>
H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI 3470** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI 3491** G<sup>1</sup> G<sup>3</sup> G<sup>4</sup> G<sup>5</sup> G<sup>6</sup> G<sup>7</sup> G<sup>8</sup>



**QSI 3471** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>

H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

HEARING PROTECTION MUST BE WORN IN THIS AREA

**QSI 3489** G<sup>1</sup> G<sup>3</sup> G<sup>4</sup> G<sup>5</sup> G<sup>6</sup> G<sup>7</sup> G<sup>8</sup>



QSI 3787 F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

## SIZE CODES

- A 120mm x 120mm
- B 180mm x 180mm
- C 240mm x 240mm
- D 250mm x 250mm
- E 340mm x 120mm
- F 340mm x 240mm (or 240 x 340)
- G 450mm x 180mm
- H 450mm x 300mm (or 300 x 450)
- 1 200mm x 400mm



# **Mandatory Signs**



# PROTECTIVE CLOTHING MUST BE WORN

MUST BE WORN

**QSI3476**  $F^1 F^3 F^4 F^5 F^6 F^7 F^8$ H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



QSI 3842 F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



MUS9 BE4WORN F1F3F4F5F6F2F8  $H^{3} H^{4} H^{5} H^{6} H^{7} H^{8}$ 



**QSI 3490**  $G^1 G^3 G^4 G^5 G^6 G^7 G^8$ 



 $F^1 F^3 F^4 F^5 F^6 F^7 F^8$ H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**Q\$|3474**) F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



MUST BE WORN

**QSI3480**  $F^1 F^3 F^4 F^5 F^6 F^7 F^8$ H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



 $F^1 F^3 F^4 F^5 F^6 F^7 F^8$ H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**GUMMUO** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>  $H^{3} H^{4} H^{5} H^{6} H^{7} H^{8}$ 

## **MATERIALS CODES**

- A Screenprinted on PVC
- **B** Screenprinted Blank c/w Vinyl Text on PVC **E** Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
- C Vinyl on PVC (With Screw holes)
- D Vinyl on PVC (No Screw Holes)
- F Vinyl on Aluminium board
- **G** Vinyl on Coreflute
- H S/A Vinyl Sticker
- I Vinyl on Magnetic

# **Mandatory Signs**



**QSI 3751**  $F^1 F^3 F^4 F^5 F^6 F^7 F^8$ H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI 3748** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>  $H^3 H^4 H^5 H^6 H^7 H^8$ 



**QSI 3747**  $F^1 F^3 F^4 F^5 F^6 F^7 F^8$ H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

## SIZE CODES

- A 120mm x 120mm
- **B** 180mm x 180mm
- C 240mm x 240mm
- D 250mm x 250mm
- E 340mm x 120mm
- F 340mm x 240mm (or 240 x 340)
- **G** 450mm x 180mm
- **H** 450mm x 300mm (or 300 x 450)
- I 200mm x 400mm



Warning Signs - Block & Text



**QSI 3572** 

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI 3573** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI 3567** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI3791**  $E^{1}E^{3}E^{4}E^{5}E^{6}E^{7}E^{8}$  $G^{3} G^{4} G^{5} G^{6} G^{7} G^{8}$ 



H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



WARNING LOCK VALVES BEFORE ENTERING TANKS F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H8



## **MATERIALS CODES**

- A Screenprinted on PVC
- Screenprinted Blank c/w Vinyl Text on PVC E
- C Vinyl on PVC (With Screw holes)
- D Vinyl on PVC (No Screw Holes)
- Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
- F Vinyl on Aluminium board
- G Vinyl on Coreflute
- H S/A Vinyl Sticker
- I Vinyl on Magnetic

# Warning Signs - Block & Taxt








QSI 3790

 $E^1 E^3 E^4 E^5 E^6 E^7 E^8$  $G^3 G^4 G^5 G^6 G^7 G^8$ 



QSI 3593 F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>







QSI 3583

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup> **QSI 3591** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

QSI 3584

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>







F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>







F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

 $F^2$ 

## SIZE CODES

- A 120mm x 120mm
- B 180mm x 180mm
- C 240mm x 240mm
- D 250mm x 250mm
- E 340mm x 120mm
- F 340mm x 240mm (or 240 x 340)
- G 450mm x 180mm
- **H** 450mm x 300mm (or 300 x 450)
- 1 200mm x 400mm



# NOTICE

# HAZARE AHEA

PERSONS ENTERING THIS PROPERTY MUST COMPLY WITH ALL SAFETY REGULATIONS UNDER THE

HEALTH AND SAFETY AT WORK ACT 2015

# DO NOT ENTER

WITHOUT PERMISSION AND NOTIFICATIONS OF THE HAZARDS WITHIN

HAZARDS WITHIN

NOTIFICATIONS OF THE HAZARDS WITHIN

HAZARDS WITHIN

**QSI3441** 

MUST REPORT TO SITE OFFICE UPON ARRIVAL

UPON AKKIVAL

**UPON ARRIVAL** 

QS[3666...

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>

H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

ALL ACCIDENTS **MUST BE** REPORTED

REPURIED

QSI 3652

P\*F\*F\*F\*F8

H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

AUTHORISED FORKLIFT OPERATORS ONLY

**OSI 3663** 

F<sup>1</sup> F<sup>3</sup> FONLLY F<sup>7</sup> F<sup>8</sup>

H³H⁴H⁵H6H7H

## **MATERIALS CODES**

- A Screenprinted on PVC
- B Screenprinted Blank c/w Vinyl Text on PVC E
- C Vinyl on PVC (With Screw holes)

# ALL VISITORS

MUST REPORT TO OFFICE

**QSI 3770** 

ALL VISITORS MUST REGISTER AT OFFICE

AI UFFICE

AT OFFICE

GSI 3656

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>

H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

ALL TOOLS MUST BE RETURNED AFTER USE

AFIER USE

QSI 3653

1 1 3 5 4 F 5 F 6 F 8 F 8

H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

CHAIN ALL CYLINDERS SECURELY

QSI 3660

**SECURELY**:

H³H⁴H⁵H6H7H

- D Vinyl on PVC (No Screw Holes)
- Vinyl on PVC (No Holes, c/w Dbl Sd Tape)

.132.

F Vinyl on Aluminium board

NOTE: Sign design may differ slightly for use on different materials

ALL VISITORS MUST REPORT TO OFFICE

**QSI 3770R** 

AUTHORISED PERSONNEL ONLY

UNLI

ONLY

**QSI**3651

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

ALL VISITORS MUST REPORT TO OFFICE

QSI 3770NA

F3F4F3F4F8

H<sup>1</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

**ENSURE ALL RUBBISH** IS PLACED IN THE BINS PROVIDED

QSI 3658

F2F3F4F5F6F7F8

H³ H⁴ H⁵ H6 H7 H6

- G Vinyl on Coreflute
- H S/A Vinyl Sticker
- I Vinyl on Magnetic

# HEARING PROTECTION MUST BE WORN IN THIS AREA

**QSI 3662** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>

# NOTICE KEEP WORK AREAS CLEAN

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



QSI 3654 H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

NOTICE

NO PARKING
KEEP ACCESSWAY
CLEAR
AT ALL TIMES

QSI 3806\_\_\_\_\_\_
F1F3 F4 F5 F6 F7 F8

# **NOTICE**

HI-VIS VEST HARD HAT AND SAFETY GLASSES MUST BE WORN ON THIS SITE

BE WUKN UN INIS SITE

**QSI 3664** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>

NO NO ADMITTANCE

> QSI 3642 F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

NOTICE NO ENTRY

> Q\$I 3641 F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

NOTICE

NO VEHICLES BEYOND THIS POINT

QSI 3655 F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> **NOTICE** 

KEEP CLEAR AT ALL TIMES

QSI 3646

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>

NOTICE

NO ADMITTANCE WITHOUT SECURITY PASS

OSI 3659

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

**NOTICE** 

NO ENTRY
UNLESS
ACCOMPANIED
BY A STAFF MEMBER

**NOTICE** 

PARKING ON SITE AT YOUR OWN RISK

QSI 3650

F<sup>2</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

## **SIZE CODES**

- A 120mm x 120mm
- B 180mm x 180mm
- C 240mm x 240mm
- D 250mm x 250mm
- E 340mm x 120mm
- **F** 340mm x 240mm (or 240 x 340)
- **G** 450mm x 180mm
- H 450mm x 300mm (or 300 x 450)
- 1 200mm x 400mm



# **Notice Signs**



**QSI 3665** 

 $F^1 F^3 F^4 F^5 F^6 F^7 F^8$ H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI3644** 

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI3643** 

 $F^1 F^3 F^4 F^5 F^6 F^7 F^8$ H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI3649** 

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F5 F6 F7 F8 H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>




**QSI 3657** 

 $F^1 F^3 F^4 F^5 F^6 F^7 F^8$ H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI3648** 

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



# **MATERIALS CODES**

- A Screenprinted on PVC
- **B** Screenprinted Blank c/w Vinyl Text on PVC **E** Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
- C Vinyl on PVC (With Screw holes)
- D Vinyl on PVC (No Screw Holes)
- F Vinyl on Aluminium board
- **G** Vinyl on Coreflute
- H S/A Vinyl Sticker
- I Vinyl on Magnetic



QSI 3826 F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>

# SAFETY FIRST ALL EQUIPMENT MUST BE TURNED OFF WHEN NOT IN USE

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

# SAFETY FIRST KEEP ALL AISLES CLEAR

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>
H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI 3829** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup>

# SAFETY FIRST

DON'T TAKE RISKS

QSI 3821

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

# SAFETY FIRST PLEASE KEEP THIS AREA CLEAN AND TIDY

QSI3834

H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

SAFETY

ALL ACCIDENTS
NO MATTER
HOW SMALL
MUST BE REPORTED

MUSI BE KEPUKIED

QSI 3832

 $F^1 F^3 F^4 F^5 F^6 F^7 F^8$ 

SAFETY FIRST

DON'T TAKE SHORTCUTS BE SAFE

DE SALE

OSI 3830

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>

# SAFETY FIRST

PLEASE KEEP THIS WORK AREA SAFE

CS 3833

F<sup>2</sup>F<sup>3</sup>F<sup>4</sup>F<sup>5</sup>F<sup>6</sup>F<sup>7</sup>F<sup>8</sup> H<sup>3</sup>H<sup>4</sup>H<sup>5</sup>H<sup>6</sup>H<sup>7</sup>H<sup>8</sup>



# SIZE CODES

- A 120mm x 120mm
- B 180mm x 180mm
- C 240mm x 240mm
- D 250mm x 250mm
- E 340mm x 120mm
- F 340mm x 240mm (or 240 x 340)
- **G** 450mm x 180mm
- H 450mm x 300mm (or 300 x 450)
- I 200mm x 400mm





# QSI 3425 F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



 $F^1 F^3 F^4 F^5 F^6 F^7 F^8$ H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



QSI 3890 F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



QSI 3412 F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup> EVACUATION PROCEDURE

 $H^1$ 







STOCK ITEM: 105x125mm SELF-ADHESIVE OTHER SIZES ON REQUEST



H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



## **MATERIALS CODES**

- A Screenprinted on PVC
- **B** Screenprinted Blank c/w Vinyl Text on PVC **E** Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
- C Vinyl on PVC (With Screw holes)
- D Vinyl on PVC (No Screw Holes)
- F Vinyl on Aluminium board
- NOTE: Sign design may differ slightly for use on different materials
- **G** Vinyl on Coreflute
- H S/A Vinyl Sticker
- I Vinyl on Magnetic



















FLOOR/LEVEL NUMBER OF YOUR CHOICE ADDED

## SIZE CODES

- **A** 120mm x 120mm
- **B** 180mm x 180mm
- C 240mm x 240mm
- D 250mm x 250mm
- **E** 340mm x 120mm
- F 340mm x 240mm (or 240 x 340)
- **G** 450mm x 180mm
- **H** 450mm x 300mm (or 300 x 450)
- I 200mm x 400mm



# **Emergency Signs**







WRITABLE



170x115mm **SELF-ADHESIVE** OTHER SIZES ON RE-QUEST

# **MATERIALS CODES**

- A Screenprinted on PVC
- **B** Screenprinted Blank c/w Vinyl Text on PVC **E** Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
- C Vinyl on PVC (With Screw holes)
- D Vinyl on PVC (No Screw Holes)
- F Vinyl on Aluminium board
- **G** Vinyl on Coreflute
- H S/A Vinyl Sticker
- I Vinyl on Magnetic

Fire Equipment ID Signs



**QSI 3955** |<sup>1</sup> |<sup>3</sup> |<sup>4</sup> |<sup>5</sup> |<sup>6</sup> |<sup>7</sup> |<sup>8</sup>



**QSI 3956** |<sup>1</sup> |<sup>3</sup> |<sup>4</sup> |<sup>5</sup> |<sup>6</sup> |<sup>7</sup> |<sup>8</sup>



**QSI 3961** |<sup>1</sup> |<sup>3</sup> |<sup>4</sup> |<sup>5</sup> |<sup>6</sup> |<sup>7</sup> |<sup>8</sup>



QSI 3960 |<sup>1</sup> |<sup>3</sup> |<sup>4</sup> |<sup>5</sup> |<sup>6</sup> |<sup>7</sup> |<sup>8</sup>



QS 3957



**QSI 3958**|1 |3 |4 |5 |6 |7 |8



# SIZE CODES

- **A** 120mm x 120mm
- **B** 180mm x 180mm
- C 240mm x 240mm
- D 250mm x 250mm
- E 340mm x 120mm
- **F** 340mm x 240mm (or 240 x 340)
- **G** 450mm x 180mm
- **H** 450mm x 300mm (or 300 x 450)
- I 200mm x 400mm





## **MATERIALS CODES**

- A Screenprinted on PVC
- B Screenprinted Blank c/w Vinyl Text on PVC E
- C Vinyl on PVC (With Screw holes)
- D Vinyl on PVC (No Screw Holes)
- E Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
- F Vinyl on Aluminium board
- G Vinyl on Coreflute
- H S/A Vinyl Sticker
- I Vinyl on Magnetic

# Fire Equipment ID Signs



# **QSI 3553** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI 3558** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



**QSI 3559** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



F<sup>1</sup>F<sup>3</sup>F<sup>4</sup>F<sup>3</sup>F<sup>6</sup>F<sup>7</sup>F<sup>8</sup>
H<sup>3</sup>H<sup>4</sup>H<sup>5</sup>H<sup>6</sup>H<sup>7</sup>H<sup>8</sup>




**QSI 3557** F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



QSI 3778 F<sup>1</sup>F<sup>3</sup>F<sup>4</sup>F<sup>5</sup>F<sup>6</sup>F<sup>7</sup>F<sup>8</sup> H<sup>3</sup>H<sup>4</sup>H<sup>5</sup>H<sup>6</sup>H<sup>7</sup>H<sup>8</sup>









## SIZE CODES

- A 120mm x 120mm
- B 180mm x 180mm
- C 240mm x 240mm
- D 250mm x 250mm
- **E** 340mm x 120mm
- **F** 340mm x 240mm (or 240 x 340)
- **G** 450mm x 180mm
- **H** 450mm x 300mm (or 300 x 450)
- I 200mm x 400mm

 $\textbf{NOTE:} \ \mathsf{Sign} \ \mathsf{design} \ \mathsf{may} \ \mathsf{differ} \ \mathsf{slightly} \ \mathsf{for} \ \mathsf{use} \ \mathsf{on} \ \mathsf{different} \ \mathsf{materials}$ 





## **MATERIALS CODES**

- A Screenprinted on PVC
- **B** Screenprinted Blank c/w Vinyl Text on PVC **E** Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
- C Vinyl on PVC (With Screw holes)
- D Vinyl on PVC (No Screw Holes)
- F Vinyl on Aluminium board
- **G** Vinyl on Coreflute
- H S/A Vinyl Sticker
- I Vinyl on Magnetic

# **Dangerous Goods Signs**



QSI 3754  $D^1 D^3 D^4 D^6 D^8 D^9$ 



QSI 3461  $D^1 D^3 D^4 D^6 D^8 D^9$ 



QSI 3964  $D^1 D^3 D^4 D^6 D^8 D^9$ 



D1 D3 D4 D6 D8 D9



D1 D3 D4 D6 D8 D9



D1 D3 D4 D6 D8 D9



"ט "ט "ט "ט "ט "ט"ט"



רט "ט "ט "ט "ט "ט "ט







# SIZE CODES

- **A** 120mm x 120mm
- **B** 180mm x 180mm
- C 240mm x 240mm
- **D** 250mm x 250mm
- E 340mm x 120mm
- F 340mm x 240mm (or 240 x 340)
- **G** 450mm x 180mm
- **H** 450mm x 300mm (or 300 x 450)
- I 200mm x 400mm

# Hazchem & Spill Kit Signs







G1 G3 G4 G5 G6 G7 G8









## **QSI3411**

**CUSTOMISABLE LARGE HAZCHEM SIGN** 450x600mm AS STANDARD (OTHER SIZES ON REQUEST)





# QSI 3840\_C

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



QSI 3840\_G

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



QSI 3840\_O

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H<sup>3</sup> H<sup>4</sup> H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



- A Screenprinted on PVC
- B Screenprinted Blank c/w Vinyl Text on PVC E
- C Vinyl on PVC (With Screw holes)
- D Vinyl on PVC (No Screw Holes)
- Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
- F Vinyl on Aluminium board
- **G** Vinyl on Coreflute
- H S/A Vinyl Sticker
- I Vinyl on Magnetic

# **Entry & Exit Signs**



QSI 3854

 $E^1 E^3 E^4 E^5 E^6 E^7 E^8$  $G^3 G^4 G^5 G^6 G^7 G^8$ 



G3 G4 G5 G6 G7 G8



**QSI 3875** 

F<sup>1</sup> F<sup>3</sup> F<sup>4</sup> F<sup>5</sup> F<sup>6</sup> F<sup>7</sup> F<sup>8</sup> H3 H4 H<sup>5</sup> H<sup>6</sup> H<sup>7</sup> H<sup>8</sup>



G3 G4 G5 G6 G7 G8



QSI 3824

E<sup>1</sup> E<sup>3</sup> E<sup>4</sup> E<sup>6</sup> E<sup>7</sup> G<sup>3</sup> G<sup>4</sup> G<sup>6</sup> G<sup>7</sup>



G3 G4 G5 G6 G7 G8



 $E^{1} E^{3} E^{4} E^{5} E^{6} E^{7} E^{8}$  $G^{3} G^{4} G^{5} G^{6} G^{7} G^{8}$ 











## SIZE CODES

- **A** 120mm x 120mm
- B 180mm x 180mm
- C 240mm x 240mm
- D 250mm x 250mm
- E 340mm x 120mm
- F 340mm x 240mm (or 240 x 340)
- **G** 450mm x 180mm
- **H** 450mm x 300mm (or 300 x 450)
- I 200mm x 400mm



















E1 E3 E4 E5 E6 E7 E8

 $G^3 G^4 G^5 G^6 G^7 G^8$ 

IRE EXIT








**PUTANGA** 

EXIT





QSI 3451 E1E3E4E5E6E7E8 AHI PUTANGA FIRE EXIT

**QSI 3876**F1 F3 F4 F5 F6 F7 F8
H3 H4 H5 H6 H7 H8

QSI 3887 E1E3 E4E5 E6 E7 E8 G3 G4 G5 G6 G7 G8

# MATERIALS CODES

- A Screenprinted on PVC
- B Screenprinted Blank c/w Vinyl Text on PVC E
- C Vinyl on PVC (With Screw holes)
- D Vinyl on PVC (No Screw Holes)
- Vinyl on PVC (No Holes, c/w Dbl Sd Tape)
- F Vinyl on Aluminium board
- **G** Vinyl on Coreflute
- H S/A Vinyl Sticker
- I Vinyl on Magnetic

# **Heatset Printing**

We offer branding to a range of garments from wet weather clothing, hard hats, work & polo shirts, height safety harnesses!!

We offer an affordable solution for complete branding of your company branding!









